

HOT METAL

WINTER 2021

FISTFUL OF STEEL

WE'VE GOT YOU COVERED
PAGE 6

JEEPERS CREEPERS

GREAT DEALS ON GAS GEAR
PAGE 9

HOT RODS

THAT DON'T BREAK THE BANK
PAGE 10



eseti
New Zealand Limited

Esseti New Zealand Ltd
PO Box 4189
Palmerston North

711 Tremain Avenue
Palmerston North
New Zealand

XA
XCEL-ARC

ARC160 160 AMP DC MMA/TIG

- Certified with 10 Amp Plug
- Power Factor Correction (PFC)
- MMA (stick electrode)
 - Selectable On/Off VRD
 - Hot Start, Arc Force
- DC-TIG - Lift Arc Ignition
- Generator Compatible - 7.1KVA
- Compliant to AS/NZ 60974-1

Power Supply	230V - 1Ph
Duty Cycle @ 40°C	20% @ 160A
@ 25°C	40% @ 160A
Current Range MMA	30 - 160A
Current Range TIG	10 - 160A
OCV (VRD Off)	77V
Rated Power	7.1 KVA
Weight	6.5kg

C/w 4m Arc Set
(incl.twist type Electrode Holder)

Tig Torch is Optional and Extra



\$725.00
Including GST
\$630.44 excluding GST
XA-ARC160RZ-K

ARC180 180 AMP DC MMA/TIG

- 180 Amp - 230V
- Industrial Application
- MMA (stick electrode)
 - Selectable On/Off VRD
 - Hot Start, Arc Force
- DC-TIG - Lift Arc Ignition
- Generator Compatible - 8.2KVA
- Compliant to AS/NZ 60974-1

Power Supply	230V - 1Ph
Duty Cycle @ 40°C	20% @ 180A
@ 25°C	40% @ 180A
Current Range MMA	30 - 180A
Current Range TIG	10 - 180A
OCV (VRD Off)	77V
Rated Power	8.2 KVA
Weight	4.7kg

C/w 4m Arc Set and Heavy-Duty Safe Case
(incl.twist type Electrode Holder)

Tig Torch is Optional and Extra



\$579.00
Including GST
\$503.48 excluding GST
XA-ARC180RZ-K

ARC200 200 AMP DC MMA/TIG

- 200 Amp - 230V
- Power Factor Correction (PFC)
- MMA (stick electrode)
 - Selectable On/Off VRD
 - Hot Start, Arc Force
- DC-TIG - Lift Arc Ignition
- Generator Compatible - 9.0KVA
- Compliant to AS/NZ 60974-1

Power Supply	230V - 1Ph
Duty Cycle @ 40°C	25% @ 200A
@ 25°C	40% @ 200A
Current Range MMA	30 - 200A
Current Range TIG	10 - 200A
OCV (VRD Off)	77V
Rated Power	9.0 KVA
Weight	6.5kg

C/w 4m Arc Set
(incl.twist type Electrode Holder)

Tig Torch is Optional and Extra



\$859.00
Including GST
\$746.96 excluding GST
XA-ARC200RZ-K

TIG200PRZ 200 AMP DC PULSE TIG/MMA

- DC TIG HF Arc Ignition
- Complete Pulse Function
- 2T/4T Trigger, Spot Time
- Start & Final Current Control
- Pre & Post Gas Flow Control
- Up & Down Slope Control
- MMA Arc Ignition Control
- MMA Arc Force Control
- Compliant to AS/NZ 60974-1

Power Supply	230V - 1Ph
Duty Cycle @ 40°C	25% @ 200A
@ 25°C	55% @ 200A
Current Range TIG	05 - 200A
Current Range MMA	10 - 160A
Rated Power	7.0 KVA
Dimensions (mm)	365x135x277
Weight	6.5kg

C/w ARC T2FX x 8m Flexi TIG Torch & Starter Kit,
Arc Set x 4m, Argon Flowtube Regulator



\$1,465.00
Including GST
\$1,273.91 excluding GST
XA-TIG200PRZ-T2

TIG200CRZ AC/DC 200 AMP AC/DC TIG/MMA DIGITAL FUNCTION

- AC Square Wave
- AC Balance & HZ Control
- User Friendly Digital Interface
- Full Digital Pulse Functionality
- Full Weld Control Functionality
- Remote Amperage Capable
- MMA with VRD
- Automatic Arc Ignition Control
- Arc Force Current Control
- Compliant to AS/NZ 60974-1

Power Supply	230V - 1Ph
Duty Cycle @ 40°C	25% @ 200A
@ 25°C	55% @ 200A
Current Range TIG	05 - 200A
Current Range MMA	10 - 160A
Rated Power	6.0 KVA
Dimensions (mm)	426x162x326
Weight	10.0kg

C/w ARC T3FX x 4m Flexi TIG Torch & Starter Kit,
Arc Set x 4m, Argon Flowtube Regulator



\$2,499.00
Including GST
\$2,173.04 excluding GST
XA-TIG200CRZ ACDC-T3



TIG200PXP 200 AMP AC/DC TIG/MMA

- HF Arc Start
- 2/4T Trigger Function
- AC Balance Control
- Pulse Control Functions
- Down Slope, Post Gas Control
- Electrode Hot Start, Arc Force
- Compliant to AS/NZ 60974-1

Power Supply	230V - 1Ph
Duty Cycle @ 40°C	20% @ 200A
@ 25°C	50% @ 200A
Current Range MMA	10 - 170A
Current Range TIG	10 - 200A
Rated Power	5.8 KVA
Dimensions (mm)	510x330x360
Weight	30kg

C/w XA26FX x 4m Flexi TIG Torch & Spares Kit,
Arc Set x 4m, Argon Flowtube Regulator



\$1,985.00
Including GST
\$1,726.09 excluding GST
XA-TIG200PXP-K

TIG320AC/DC TIG/MMA INVERTER WELDER INDUSTRIAL 3-PHASE WATER COOLED PACKAGE



- **AC TIG**
 - HF Arc Ignition
 - Lift Arc Ignition
 - Square Wave Form
 - Trapezoidal Wave Form
 - Sine Wave Form
 - AC Frequency Control
 - AC Balance Control
- **DC TIG**
 - HF Arc Ignition
 - Lift Arc Ignition
- **MIX ARC TIG (AC-DC)**
 - HF Arc Ignition
 - Lift Arc Ignition
 - AC-DC Mix Cycle % Control
 - AC Wave Hz Control
 - Mix Pulse Hz Control
- **Digital Weld Sequence Control**
 - Pre & Post Gas Control
 - Start & Final Amp Control
 - Up & Down Slope Control
 - 2T,2S/4T,4S Trigger Select
- **Digital Pulse Control**
 - Peak & Base Amp Select
 - Pulse Frequency Control
 - Pulse Width Control
- **MMA (Stick Electrode)**
 - AC & DC Output
 - Ignition Amp Control
 - Ignition Time Control
 - Arc Force Control



Power Supply 415V - 3 Phase
Duty Cycle @ 40°C 30% @ 320A TIG
30% @ 270A MMA
Current Range TIG 10 - 320A
Current Range MMA 10 - 270A
Rated Input Power 10 kVA
Certification Approval AS/NZS60974-1



\$7,249.00
Including GST

\$6,303.48 excluding GST
XA-TIG320RZ ACDC-K

COMPLETE PACKAGE DEAL

Comprises RAZORWELD TIG320ACDC Power Source, Water Cooler, Machine Trolley, ARC T4W Water Cooled TIG Torch x 8m with Starter Kit Earth Lead x 4m, Arc Lead x 4m, Argon Flowmeter Regulator

MULTIPLE AC WAVE FORMS - MIX ARC WAVE FORM (AC+DC)


AC SQUARE WAVE: Allows the current to switch from electrode + to electrode - very quickly. This produces high voltage as the current switches polarities allowing the arc to restart easily. The arc can be maintained without the use of high-frequency, the fast transition provides for responsive, dynamic & focused arc for better control.



TRIANGLE WAVE: Characterised by a particularly soft and concentrated arc combining the effect of peak amperage while reducing overall heat input. Leads to quick puddle formation and because of lowered heat input reduces weld distortion especially on thin material. This wave form is ideal for very precise welding of thin aluminum plate.



AC SINE WAVE: It is the standard Wave form, characterised by low noise and excellent arc control, it also gives the soft-arc feel of a conventional power source, while using square transitions to eliminate the need for continuous HF.



AC MIX ARC: This function of MIX AC/DC makes it possible to modulate the welding current, alternating a period of TIG AC with a period of TIG DC-. The efficiency of AC TIG welding can be combined with the high penetration of DC TIG welding, obtaining higher welding speeds and establishing the weld puddle quicker on cold workpieces. Ideal for welding heavier gauge material with less current than AC welding.



CUT40 40 AMP PLASMA CUTTER WITH BUILT IN AIR COMPRESSOR



- PFC - Power Factor Correction
- Inbuilt Compressor Cut Thickness:
 - Clean Cut on Steel 12mm
 - Sever Cut on Steel 15mm
- External Compressor Cut Thickness:
 - Clean Cut on Steel 15mm
 - Sever Cut on Steel 18mm
- SC80 Euro Connect Plasma Torch
- Generator Compatible - 10.0 KVA

Power Supply 230V - 1Ph
Cut Current Range 20 - 40A
Duty Cycle @ 40°C 40% @ 40A
Plasma Arc Start Pilot Arc
Air Flow Draw 4.5cfm
Air Pressure 75psi
Protection Class IP23
Dimensions (LxWxH) 510x210x380mm
Weight Power Source 18Kg
Certification Approval AS/NZ60974-1



\$2,249.00
Including GST

\$1,955.65 excluding GST
XA-CUT40PC-K

CUT45 45 AMP PLASMA CUTTER



- 45 Amp @ 35% Duty Cycle - 230V
- 16mm Clean Cut on Steel
- 20mm Sever Cut on Steel
- PFC - Power Factor Correction
- Pilot Arc Low Frequency Start
- 4T Function for Automatic use
- Compliant to AS/NZ 60974-1

Power Supply 230V - 1Ph
Duty Cycle @ 40°C 30% @ 45A
@ 25°C 60% @ 45A
Rated Input Power 5.5KVA
Air Flow Draw 6.7cfm
Air Pressure 75psi
Weight 9.8Kg
Dimensions (mm) 410x165x330



\$1,785.00
Including GST

\$1,552.17 excluding GST
XA-CUT45RZ-K

CUT80 80 AMP PLASMA CUTTER



- 80 Amp @ 35% Duty Cycle - 415V
- 30mm Clean Cut on Steel
- 35mm Sever Cut on Steel
- CNC Connect Ready
- Pilot Arc Low Frequency Start
- 4T Function for Automatic use
- Compliant to AS/NZ 60974-1

Power Supply 415V - 3Ph
Duty Cycle @ 40°C 40% @ 80A
@ 25°C 80% @ 80A
Rated Output Voltage 112V
Air Flow Draw 7.5cfm
Air Pressure 80psi
Weight 16Kg
Dimensions (mm) 560x220x415



\$2,295.00
Including GST

\$1,995.65 excluding GST
XA-CUT80RZ-K

MIG200 200 AMP DC MIG/MMA

- Multifunction MIG/MMA
- MIG Gas/Gasless
- Burn Back Control
- Wire Inch
- Spool Gun Ready
- 5Kg Spool Capacity
- MMA Hot Start Electrode
- Compliant to AS/NZ 60974-1

Power Supply 230V - 1Ph
Duty Cycle @ 40°C 20% @ 200A
@ 25°C 45% @ 200A
Current Range MIG 30 - 200A
Current Range MMA 10 - 200A
Rated Power 9.4 KVA
Dimensions (mm) 470x190x380
Weight 18kg



\$1,419.00
Including GST
\$1,233.91 excluding GST
XA-MIG200RZ-K

C/w 3m XA25 Suregrip™ BZL Series Mig Torch,
Arc Set x 4m, Twin Gauge Argon Regulator
Euro Tig Torch is optional and extra

MIG205-SS 200 AMP DC MIG/TIG/MMA

- Multifunction MIG/TIG/MMA
- New IGBT 40KHz Technology
- MIG Gas/Gasless, 5kg Spool Capacity
- Smart Set or Manual Operation
- Spool Gun Ready
- DC TIG – Lift Arc, Euro Torch Connect
- TIG Gas Solenoid, Post-Gas/Downslope
- Electrode Hot Start
- Compliant to AS/NZ 60974-1

Power Supply 230V - 1Ph
Duty Cycle @ 40°C 20% @ 200A
@ 25°C 45% @ 200A
Current Range MIG 30 - 200A
Current Range TIG 10 - 200A
Rated Power 9.4 KVA
Dimensions (mm) 470x190x380
Weight 18kg



\$1,729.00
Including GST
\$1503.48 excluding GST
XA-MIG205SS-K

C/w 3m XA24 Suregrip™ BZL Series Mig Torch,
Arc Set x 4m, Twin Gauge Argon Regulator
Euro Tig Torch is optional and extra

OPTIONAL TIG TORCH KIT WITH EURO CONNECTION



\$225.00
Including GST
\$195.65 excluding GST
XATK7

Suits XA-MIG205SS and XA-MIG250DRZ. Includes momentary trigger switch.

XATK7 - Package Contents:

XA26 x 4m TIG Torch 35-50 Surelok Connector,
Spares Kit: 10N31 Collet Body 1.6mm, 10N32 Collet Body 2.4mm
10N23 Collet 1.6mm, 10N24 Collet 2.4mm
10N49 Nozzle #5 Ø8mm, 10N48 Nozzle #6 Ø9.5mm
Thoriated Tungsten 1.6mm & 2.4mm, Parts Box

MIG250CRZ 250 AMP DC MIG/TIG/MMA

- MIG Gas/Gasless
- Inductance & Burn Back Control
- Spool Gun Ready
- 15Kg Spool Capacity
- DC TIG - Lift Arc
- MMA Hot Start Electrode
- Compliant to AS/NZ 60974-1

Power Supply 230V - 1Ph
Duty Cycle @ 40°C 30% @ 250A
@ 25°C 60% @ 250A
Current Range MIG 30 - 250A
Current Range MMA/TIG 15 - 250A
Rated Power 10.8 KVA
Dimensions (mm) 628x267x453
Weight 30kg



\$2,149.00
Including GST
\$1,868.70 excluding GST
XA-MIG250CRZ-K

C/w 4m XA24 Suregrip™ BZL Series Mig Torch,
Arc Set x 4m, Twin Gauge Argon Regulator
Tig Torch is optional and extra

MIG250DRZ DIGITAL 250 AMP DC MIG/TIG/MMA

- Remote Control Mig Torch
- MIG Gas/Gasless 15Kg Spool
- Soft Start - Burn Back - Wire Inch
- Spool Gun Connection
- DC TIG, Lift Arc Ignition
- TIG Down Slope & Post Gas
- MMA function (Stick electrode)
- VRD - Hot Start - Arc Force



Power Supply 230V - 1Ph
Duty Cycle @ 40°C 40% @ 250A
@ 25°C 60% @ 250A
Current Range MIG 30 - 250A
Current Range MMA/TIG 10 - 250A
Rated Power 10.8 KVA
Weight 35Kg
Dimensions (mm) 585x280x440

ADJUST YOUR
MIG SETTINGS
WITH CONTROL
PAD ON TORCH

\$2,415.00
Including GST
\$2,100.00 excluding GST
XA-MIG250DRZ-K

C/w 4m Suregrip™ Digital Control Mig Torch,
Arc Set x 4m, Twin Gauge Argon Regulator
Euro Tig Torch is optional and extra



HEAVY DUTY EXTENSION LEADS IDEAL FOR INVERTER WELDING MACHINES

BRAIDED DOUBLE SHEATHED CABLE

- Prevents Damaging Voltage Drop
- Crush and Cut Resistant
- IP66 Water Proof Plug & Socket
- 2.5mm Copper Core Wire
- AS/NZ Standards Approved



Code	Description	+GST	INCL
XA-BEL15A-10M	Xcel-Arc Braided 10m Extension Lead	\$126.09	\$145.00
XA-BEL15A-15M	Xcel-Arc Braided 15m Extension Lead	\$169.57	\$195.00

MIG200WRZ 200 AMP DC MIG/TIG/MMA

- Multifunction MIG/TIG/MMA
- MIG Gas/Gasless
- Inductance & Burn Back Control
- Spool Gun & Push Pull Ready
- 15Kg Spool Capacity
- DC TIG - Lift Arc
- MMA Hot Start
- Compliant to AS/NZ 60974-1

Power Supply	230V - 1Ph
Duty Cycle @ 40°C	15% @ 200A
@ 25°C	40% @ 200A
Current Range MIG	30 - 200A
Current Range TIG-MMA	10 - 200A
Weight	57Kg
Dimensions (mm)	900x400x785

C/w 4m XA24 Suregrip™ BZL Series Mig Torch,
Arc Set x 4m, Twin Gauge Argon Regulator
Tig Torch is Optional and Extra



\$2,149.00
Including GST

\$1,868.70 excluding GST
XA-MIG200WRZ-K

MIG250WRZ 250 AMP DC MIG/TIG/MMA

- Multifunction MIG/TIG/MMA
- MIG Gas/Gasless
- Inductance & Burn Back Control
- Soft Start MIG
- Spool Gun Ready
- 15Kg Spool Capacity
- DC TIG - Lift Arc
- MMA Hot Start
- Compliant to AS/NZ 60974-1

Power Supply	230V - 1Ph
Duty Cycle @ 40°C	35% @ 250A
@ 25°C	60% @ 250A
Current Range MIG	30 - 250A
Current Range TIG-MMA	10 - 250A
Weight	58Kg
Dimensions (mm)	900x400x785

C/w 4m XA24 Suregrip™ BZL Series Mig Torch,
Arc Set x 4m, Twin Gauge Argon Regulator
Tig Torch is Optional and Extra



\$2,415.00
Including GST

\$2,100.00 excluding GST
XA-MIG250WRZ-K

MIG350WRZ 350 AMP DC MIG/TIG/MMA

- Multifunction MIG/TIG/MMA
- MIG Gas/Gasless
- Inductance & Burn Back Control
- Soft Start MIG
- Spool Gun Ready
- 15Kg Spool Capacity
- DC TIG - Lift Arc
- MMA Hot Start
- Compliant to AS/NZ 60974-1

Power Supply	415V - 3Ph
Duty Cycle @ 40°C	40% @ 350A
@ 25°C	70% @ 350A
Current Range MIG	50 - 350A
Current Range TIG-MMA	20 - 350A
Weight	58Kg
Dimensions (mm)	900x400x785

C/w 4m XA36 Suregrip™ BZL Series Mig Torch,
Arc Set x 4m, Twin Gauge Argon Regulator
Tig Torch is Optional and Extra



\$3,670.00
Including GST

\$3,191.30 excluding GST
XA-MIG350WRZ-K

MIG350 SWF 350AMP DC MIG/TIG/MMA

- Proven IGBT Inverter Technology
- Separate 4 Roll Geared Wire Feed Unit
- 10m Interconnecting Cables
- MIG Variable Inductance
- MIG Burn Back Control
- DC TIG - Lift Arc
- MMA Hot Start & Arc Force
- Heavy Duty Trolley, Cylinder Rack
- Compliant to AS/NZ 60974-1

Power Supply	415V - 3Ph
Duty Cycle @ 40°C	40% @ 350A
@ 25°C	70% @ 350A
Current Range MIG	50 - 350A
Current Range TIG-MMA	20 - 350A
Rated Power	12.8KVA

C/w 4m XA36 Suregrip™ Mig Torch,
Arc Set x 4m, Twin Gauge Argon Regulator
Tig Torch is Optional and Extra



\$5,589.00
Including GST

\$4,860.00 excluding GST
XA-MIG350SWF-K

MIG500RZ SWF 500 AMP DC MIG/TIG/MMA Heavy Duty Power Pack • Air Arc Gouging Function



- Heavy Duty Industrial 3-Phase
- New Arc Air Gouging Function
- Integral Water-Cooler Ready
- Digital Controls
- Push Pull & Spool Gun Ready
- 10m Interconnecting Cables
- MIG Inductance Control
- MIG Burn Back Control
- MIG Crater Current Control
- Approved to AS/NZ 60974-1

Power Supply	415V - 3Ph
Duty Cycle @ 40°C	60% @ 500A
@ 25°C	80% @ 500A
Current Range MIG	50 - 500A
Current Range TIG-MMA	20 - 350A
Rated Power	24.7 KVA

C/w 4m XA38 Suregrip™ Mig Torch,
Arc Set x 4m, Twin Gauge Argon Regulator
Tig Torch is Optional and Extra



\$6,595.00
Including GST

\$5,734.78 excluding GST
XA-MIG500RZSWF-K



ALUMINISED HEAT REFLECTIVE FOR PROLONGED WELDING

Aluminised PFR Rayon heat reflective backhand provides prolonged radiant heat protection during welding. The aluminised Herringbone pattern reflects 95% of radiant heat. The unique 3 dimensional finger construction offers unrestricted mobility & sensitivity of fingers.

XA-10-2755-L Heat Reflective Welding Gloves, Large
XA-10-2755-XL Heat Reflective Welding Gloves, X-Large



\$49.50
Including GST
\$43.04 excluding GST

Either Size
Same Price



TRADESMAN WELDING GLOVES LEFT HAND PAIRS AVAILABLE

Designed for Tradesmen, these quality welding gloves are made of heat and flame resistant split cowhide. Featuring a full sock lining for added comfort and Kevlar stitching with welted seams for extra wear resistance. Ideal for MIG and ARC welding.



Code	Description	+GST	INCL
XA-10-2015L	Large Pair	\$11.30	\$13.00
XA-10-2015L-LH	Left Hand Large Pair	\$11.30	\$13.00
XA-10-2015XL	XL Pair	\$12.09	\$13.90
XA-10-2015XL-LH	Left Hand XL Pair	\$12.09	\$13.90



LONG ARM WELDING GLOVES FULL ARM PROTECTION

These 680mm Extra Long Heavy Duty Welding Gloves are made of heat and flame resistant split cowhide. The standard feature of these gloves include a full sock lining for added comfort, a reinforced palm and Kevlar stitching with welted seams for added durability.

XA-10-2015LFA Full Arm Welding Gloves, Large
XA-10-2015XLFA Full Arm Welding Gloves, X-Large



\$26.95
Including GST
\$23.44 excluding GST

Either Size
Same Price



BLACK TIG WELDING GLOVES PERFECT FOR TIG WELDING

Black TIG welding glove made of goat leather with cuff made of split cow leather. Seamless index finger for better feed of TIG wires. The seamless index finger construction provides unobstructed control over small diameter welding rods and ultra light TIG torches.

XA-10-1050-L Soft Touch Black Tig Welding Gloves, Large
XA-10-1050-XL Soft Touch Black Tig Welding Gloves, X Large



\$45.00
Including GST
\$39.13 excluding GST

Either Size
Same Price



PIG SKIN TIG WELDING GLOVES OLD SCHOOL TIG GLOVES

Especially developed and produced for discerning Tig operators. "Reversed Grain Pigskin" guarantees a snug breathable fit with sensitive feel of the filler wire. 100% Kevlar stitched for protection against seam burn out. An excellent choice for Tig Welding.

XA-10-1003-L Tig Welding Gloves - Large
XA-10-1003-XL Tig Welding Gloves - X Large



\$23.00
Including GST
\$20.00 excluding GST

Either Size
Same Price



WELDING APRON COWHIDE LEATHER

Xcel-Arc Black Series Leather Welding Aprons are made from highly durable and pliable split cowhide. Genuine Kevlar® thread is used in all stitching, providing high strength and durability. A unique cross over strap design includes easily adjustable straps. Available in black and one size fits all at 107cm in length.



Extra long 107cm length
One size fits all

XA-BLA Black Leather Apron

\$79.00
Including GST
\$68.70 excluding GST



PROBAN WELDING JACKET PROBAN TREATED COTTON

Xcel-Arc Black-Series Welding Jackets are comfortable and designed for use in tough conditions. The lightweight Proban® treated cotton body and sleeves provide great manoeuvrability, while the use of Kevlar® thread enhances the jackets durability.



- PROBAN® Treated Flame-Retardant Cotton Body
- Kevlar® Stitching
- Great manoeuvrability
- High Quality, Low Cost
- Kiwi Sizing: M, L, XL, XXL & XXXL

XA-BPJ-M Medium
XA-BPJ-L Large
XA-BPJ-XL X-Large
XA-BPJ-XXL XX-Large
XA-BPJ-XXXL XXX-Large

\$69.00
Including GST
\$60.00 excluding GST



BLACK WELDING JACKET PROBAN TREATED COTTON BODY LEATHER SLEEVES

Xcel-Arc Black-Series Welding Jackets are comfortable and designed for extended use under tough conditions. Full leather sleeves provide protection against spatter, while the use of Kevlar® thread enhances the jackets durability.



- PROBAN® Treated Flame-Retardant Cotton Body
- Premium Cowhide Leather Sleeves
- Kevlar® Stitching
- Great manoeuvrability
- Kiwi Sizing: M, L, XL, XXL & XXXL

XA-BLPJ-M Medium
XA-BLPJ-L Large
XA-BLPJ-XL X-Large
XA-BLPJ-XXL XX-Large
XA-BLPJ-XXXL XXX-Large

\$99.00
Including GST
\$86.09 excluding GST



DIGITAL WELDING MASK

Auto-Darkening Goggles
MIG • MMA • TIG • Plasma • Gas
Integral LED Headlamp

- External Digital Control Panel
- Weld, Cut & Grind Modes
- Sensitivity & Delay Control
- 2 x Arc Sensors
- External LED Headlamp
- Low Profile Design
- Respirator Half Mask Compatible



\$249.00
Including GST
\$216.52 excluding GST
XA-SHIELD

Kit Contents: RazorShield Goggles, Face Mask, Hood, LED Lamp, Head Band, Elastic Band, Spare Cover Lens

Technical Data

Reaction Time	0.08ms
Arc Sensors	2
Classification	1/1/1/2
Dark State Shades	5-9 / 9-13
Time from Dark to Light	0.01-0.9s
Sensitivity Setting	Adjustable
Delay Control	Adjustable
Power Supply	Battery, Solar Cells
Min TIG Amperage	5 Amps
Compliant Standard	AS/NZS 1338.1:2012



ELIPSE® HALF-MASK P2 RESPIRATOR

The Elipse® Half-Mask P2 Respirator combines a particulate filter with an activated carbon cloth to provide a minimum 99.95% filtration against odours, dust, all types of fumes, oil and water mists and micro-organisms. It is designed to fit under most welding helmets and welding masks.



- Approved to AS/NZS 1716:2012 as a P2 Reusable Respirator, as the P3 filters are fitted on Half Mask.
- Latex and silicone-free, lightweight TPE face piece that is comfortable to wear for long periods of time.
- Low profile filters provide an unobstructed view.
- Compatible with other PPE safety products including visors and welding helmets.

XA-MASK-SM Elipse P2 Welding Mask - Small/Medium
XA-MASK-ML Elipse P2 Welding Mask - Medium/Large

\$89.00
Including GST
\$77.39 excluding GST

P3 REPLACEMENT FILTER SET

Replacement filters for the Elipse® Half-Mask P2 Respirator. P3 >99.95% for 0.3 µ particulate. Mechanical type multi-layer HESPA Synthetic media with TPE flexible overmolded / encapsulated. Glued additional carbon activated impregnated media



XA-FILTER-TP Replacement P3 Filter Pack

\$37.00
Including GST
\$32.17 excluding GST



AUTOMATIC WELDING HELMETS



AS3000F

MOST POPULAR ENTRY
LEVEL HELMET

- MIG/MMA/TIG Compatible
- Viewing Area - 96mm x 42mm
- Battery & Solar Powered
- 2 Independent Sensors
- Sensitivity & Delay Control
- Classification 1/1/1/2
- Variable Shade 9 ~ 13
- Grind Mode
- Fast Switching Speed 0.08 m/s
- Compliant to AS/NZS 1338.1

AS3000F
\$119.00
Including GST
\$103.48 excluding GST

TOXIC

PROVEN RELIABILITY
BOLD NEW GRAPHICS

- MIG/MMA/TIG Compatible
- 2 Arc Sensors
- Grind Mode (External)
- Variable Shade 9~13 (External)
- Sensitivity & Delay Controls
- Battery & Solar Powered
- Switching Speed 0.08 m/s
- Mag Lens Holder
- Classification 1/1/1/2
- Certified AS/NZS 1338.1

TOXIC
\$125.00
Including GST
\$108.70 excluding GST

AS6000F

COMFORT HEADGEAR
STEALTH BLACK SHELL

- MIG/MMA/TIG Compatible
- Wide 100 x 60mm Viewing Area
- Variable Shade 9~13
- Sensitivity & Delay Controls
- Comfort Headgear
- Analogue Controls
- Replaceable Batteries
- Four Independent Sensors
- Grind Mode Function
- Classification 1/1/1/2
- Compliant to AS/NZS 1338.1

AS6000F
\$169.00
Including GST
\$146.96 excluding GST

AS7000D

DIGITAL CONTROL
ULTRA WIDE VIEW 100 X 83MM

- MIG/MMA/TIG Compatible
- Massive 100 x 83mm Viewing Area
- Variable Shade 5~9 / 9~13
- Sensitivity & Delay Control
- Comfort Headgear
- Job Memory Recall x 3
- Replaceable Batteries
- Four Independent Sensors
- Grind Mode Function
- Classification 1/2/1/1
- Compliant to AS/NZS 1338.1

AS7000D
\$269.00
Including GST
\$233.91 excluding GST



PYREX GAS LENS KITS

INCREASE YOUR TIG WELDING VISIBILITY



Pyrex Gas Lens Kit
Medium Nozzle



Pyrex Gas Lens Kit
Long Nozzle



Fat Boy Pyrex Gas Lens Kit
Great for titanium!

Pyrex gas lens nozzles are ideal for TIG welding applications with limited visibility, such as in and around tubing and pipe as well as inside corners and bends. Pyrex gas lens nozzles also allow reduced shielding gas consumption, with savings of up to 40% compared to using traditional parts. The tungsten adaptor with replaceable mesh screen ensures a consistent gas flow pattern and allows the tungsten electrode to be extended up to six times the electrode diameter.

Code	Description	+GST	Inclusive
PGLK172616S	Pyrex Gas Lens Kit Medium Nozzle 1.6mm 17,18,26 Torch	\$25.00	\$28.75
PGLK172624S	Pyrex Gas Lens Kit Medium Nozzle 2.4mm 17,18,26 Torch	\$25.00	\$28.75
PGLK172616L	Pyrex Gas Lens Kit Long Nozzle 1.6mm 17,18,26 Torch	\$27.74	\$31.90
PGLK172624L	Pyrex Gas Lens Kit Long Nozzle 2.4mm 17,18,26 Torch	\$27.74	\$31.90
PGLFBK172616	Fat Boy Pyrex Gas Lens Kit 1.6mm 17,18,26 Torch	\$56.00	\$64.40
PGLFBK172624	Fat Boy Pyrex Gas Lens Kit 2.4mm 17,18,26 Torch	\$56.00	\$64.40



SUREGRIP LONG TIG TORCH KIT

EXTRA LONG 16M LENGTH WITH FLEXI NECK

Maximise the reach of your HF TIG welding machine.
C/w TIG Torch x 16m and Spares Kit



Available in XA17FX, 150Amp Air Cooled and XA26FX, 200Amp Air Cooled

Code	Description	+GST	Inclusive
XATK9	Long TIG Torch Kit XA17FX x 16mtr Torch 35-50, Spares	\$381.74	\$439.00
XATK10	Long TIG Torch Kit XA26FX x 16mtr Torch 35-50, Spares	\$433.91	\$499.00



RedNeck

MODULAR FLEXI NECK CONVERSION KITS



RedNeck modular flexi-neck kits easily upgrade your existing traditional air-cooled Tig Torch to the RedNeck Flexi System. The unique RedNeck Flexible Coil provides incredible degree of flexibility and when coupled with multiple head angle options, RedNeck offers adaptability with precise control, even in the most challenging welding positions and situations.

Code	Description	+GST	Inclusive
RNK-9-150	RedNeck Tig Torch Conversion Kit 9-Series	\$146.96	\$169.00
RNK-17-150	RedNeck Tig Torch Conversion Kit 17-Series	\$154.78	\$178.00
RNK-26-150	RedNeck Tig Torch Conversion Kit 26-Series	\$154.78	\$178.00
RNK-26-200CE	RedNeck Tig Torch Contractors Kit 26-Series - 200CE Coil	\$169.57	\$195.00



SUREGRIP BZL MIG TORCHES

ERGONOMIC EXCELLENCE

Unrivalled technical excellence in torch technology, delivering a high quality world class product range recognised for innovative leading edge ergonomic designs matched with top end performance second to none.



INDUSTRY STANDARD EURO CONNECTION

Code	Description	+GST	INCL
XA15-3	XA15 Ergo Suregrip MIG Torch x 3m 180A	\$120.87	\$139.00
XA25-4	XA25 Ergo Suregrip MIG Torch x 4m 230A	\$181.74	\$209.00
XA24-4	XA24 Ergo Suregrip MIG Torch x 4m 250A	\$216.52	\$249.00
XA36-4	XA36 Ergo Suregrip MIG Torch x 4m 300A	\$268.70	\$309.00



MIG SPOOL GUNS

IDEAL FOR DISTANCE & SOFT WIRE WELDING

SUREGRIP SP15 150 AMP

A versatile spool gun ideal for Panel Beating applications using 0.6mm wire, silicon bronze 0.9mm wire. Capable to weld aluminium up to 4mm thick using 0.9mm Aluminium wire.

- Air Cooled 150 Amps
- 50% Duty Cycle with Argon Gas
- 6 Metre Cable Length
- Euro Connection
- 24v Motor
- External Wire Tensioner
- Duraflex Cable System



SUREGRIP SP15
150 AMP

\$495.00
Including GST
\$430.43 excluding GST
XASP15-24-P1-60ER

SUREGRIP SP24 200 / SP36 300 AMP

Industrial series spool gun ideal for distance welding using most wires. Ideal for Aluminium welding applications.

- Air Cooled 200 & 300 Amps
- 60% Duty Cycle with Argon Gas
- 6 Metre Cable Length
- Euro Connection
- 24v Motor
- External Wire Tensioner
- Duraflex Cable System
- Speed Control at Torch
(machine capability dependent)



SUREGRIP SP24
200 AMP

SUREGRIP SP36
300 AMP

\$799.00
Including GST
\$694.78 excluding GST
XASP24-24-P1-60ER

\$849.00
Including GST
\$738.26 excluding GST
XASP36-24-P1-60ER



SUREGRIP VALVED TIG TORCH KITS

WITH MANUAL GAS VALVE

Maximise the use of your TIG capable welding machine without an electronic gas solenoid valve. C/w XA17V x 4m and Spares Kit



Available with Dinse 35-50 Connector and Dinse 16-25 Connector

Code	Description	+GST	Inclusive
XATK4	TIG Torch Kit XA17V x 4mtr, 16-25 Connector, Spares	\$155.65	\$179.00
XATK3	TIG Torch Kit XA17V x 4mtr, 35-50 Connector, Spares	\$155.65	\$179.00
XATK11	TIG Torch Kit XA26V x 4mtr, 35-50 Connector, Spares	\$195.65	\$225.00



MACHINE TROLLEY IDEAL FOR INVERTER WELDERS

**CRAZY
PRICE!**

- Universal design with cylinder tray
- Easy to assemble kitset
- Heavy gauge metal
- Solid rubber rear wheels
- Good quality front wheel castors
- Top Tray 450 x 300mm
- Overall Size: 700 x 300 x 775mm

\$109.00
Including GST
\$94.78 excluding GST
XA-TR165-190



MACHINE TROLLEY 4 BEARING SLIDE DRAWERS

- Ideal for small inverter welders
- Solid design with cylinder rack
- Easy to assemble flat pack kitset
- Solid rubber rear wheels
- Quality front wheel castors
- Multi-positional front handle
- Top Tray 520 x 280mm
- Overall Size: 710 x 370 x 845mm

NEW!
\$249.00
Including GST
\$216.52 excluding GST
XA-TRD



REFILLABLE CO2 GAS CYLINDER SUITABLE FOR MIG WELDING

Own your own certified CO2 Cylinder, no more rental charge.
Refillable at your local fire extinguisher refill station.

- 7.5 Hours of Welding **\$40.00** CO2
vs
- 7.5 Hours for **\$110.00** of Mixed Gas

BONUS
Argon to CO2 Adapter



Using an average running cost with a XA-200MTS
Mig on 0.8mm wire with a Co2 gas flow at 6 l/min.
Compared to Argon Co2 Mix gas flow rate of 8 l/min.
Note: Co2 can be used at a lower flow rate.



MIG welders are designed to
weld excellent with Co2 gas.

\$369.00
Including GST
\$320.87 excluding GST
CO25-1



LAVASHIELD WELDING SCREENS PROTECTION AGAINST WELDING RAYS

LAVAshield welding screens are made with specially formulated vinyl 16 mil. (0.4 mm) thick to meet OSHA standards and Australian NZ Safety requirements. Screens are transparent and resistant to UV rays, flame and abrasion. Kevlar sewn & grommets at 270mm intervals. Screens fit within 1.8m x 1.8m Curtain Frame

\$89.00
Including GST
\$77.39 excluding GST

XA-55-6466 RED
XA-55-7466 GREEN




COMBO WELDING SCREEN FRAME EASY TO ASSEMBLE & WITH CASTORS

Assembles in less than 5 minutes, no tools required. Made of heavy-duty finished steel tubing for long lasting durability. Castor wheels provide ease of placement and adjustment to the welding area. Frame width is 1.8m x 1.8m

COMBO JOINERS Included

Supplied with each frame, allows frames to be linked together to form a wall or shape to surround welding area. Ideal to form an instant welding bay.



\$129.00
Including GST
\$112.17 excluding GST
XA-55-8166



PRESSURE REGULATORS OXYGEN, ACETYLENE & LPG

XCEL-GAS Regulators have been built with a fully machined brass body and feature easy-to-read gauges to ensure accurate flow settings. Designed to offer outstanding performance for use in the workshop, home and trade applications. Your safety is paramount, and our regulators are independently tested to comply AS/NZS 4267

OXYGEN



Inlet Pressure: 20,000 kPa
Outlet Pressure: 0-1,000 kPa

ACETYLENE



Inlet Pressure: 2,500 kPa
Outlet Pressure: 0-150 kPa

LPG



Inlet Pressure: 2,500kPa
Outlet Pressure: 0-400 kPa

Code	Description	+GST	Inclusive
XG-OXYLG	Oxygen Regulator - Side Entry	\$82.61	\$95.00
XG-ACELG	Acetylene Regulator - Side Entry	\$82.61	\$95.00
XG-LPGRG	LPG Regulator - Rear Entry	\$77.39	\$89.00




ARGON FLOW REGULATORS GAUGE, SINGLE & TWIN FLOWTUBE

XCEL-GAS Argon regulators have been designed to be a most accurate gas delivery system. Perfect for MIG and TIG welding applications, featuring easy-to-read gauges and flow tubes to ensure accurate flow settings. The argon flowmeter also delivers a consistent flow of gas pressure for superior TIG welding. Your safety is paramount, and our regulators are independently tested to comply AS/NZS 4267



ARGON FLOW GAUGE
Inlet Pressure: 20,000 kPa



ARGON FLOW METER
Inlet Pressure: 20,000 kPa



ARGON TWIN FLOW METER
Inlet Pressure: 20,000 kPa

Code	Description	+GST	Inclusive
XG-ARLFG32	Argon Flowgauge Regulator 0~32 l/min	\$82.61	\$95.00
XG-ARLFM25	Argon Flowmeter Regulator 0~25 l/min	\$94.78	\$109.00
XG-ARLFM25TW	Argon Twin Flowmeter Regulator 0~25 l/min	\$129.57	\$149.00




TRACKER CG-30 SINGLE HEAD FLAME CUTTING MACHINE

The TRACKER CG30 is a step-less variable speed carriage with oxy/fuel gas cutting torch mounted on a straight line track. Built to industrial standards the TRACKER CG30 provides high quality oxy/fuel cuts on steel plates and structures where straight line accuracy is paramount. With addition of the CG30 Circle Cutting Attachment the CG30 will cut circles with a high degree of accuracy.

A low cost, high quality alternative. Known as one of the best portable cutting machines in the industry.

Technical Data

Power Supply (V-Ph)	230 - 1
Input Frequency (Hz)	50/60
Cutting Speed (mm/min)	150-800
Cutting Range (mm)	3-300
Motor Speed (r.p.m)	1500
Reduction Gear	Single Cone
Direction	Bi-directional
Wheel distance apart (mm)	160
Dimensions (mm)	350x140x175
Weight (kg)	7.80



XG-CG30 Machine Package Includes:
TRACKER CG30 Machine + Cutting Torch
Hose Set - 500mm, 3 x 3 Seat Cutting Tips
Straight Line Track x 1.8m, Tool Kit, Power Lead



\$1,395.00
Including GST
\$1,213.04 excluding GST
XG-CG30

C02 SHIELDED FLUX CORE WIRE AWS D1.8M:2009 SEISMIC APPROVED

Suitable for Structural & General Fabrication, Transport Engineering, Agriculture Equipment, Heavy Machinery & Marine Engineering

- AWS A5.20 E71T-1C
- Fast Freezing Slag
- All Position Welding
- Smooth Weld Bead
- Smooth Arc Transfer
- ABS Approvals



Code	Description	+GST	INCL
XFC721215	XA E71T-1C C02 Flux Core Wire 1.2mm x 15kg	\$73.91	\$85.00
XFC721615	XA E71T-1C C02 Flux Core Wire 1.6mm x 15kg	\$73.91	\$85.00

ER100S-G HIGH TENSILE MIG WIRE CHROME NICKEL MOLYBDENUM ALLOYED

Suitable for Structural Steel, Transport Engineering, Heavy Equipment, Earth Moving Repairs & Fabrication, Crane Repairs & Fabrication. Petrochemical Industry

- High Tensile Strength Welds 690MPa (100,000psi)
- Copper Coated & Precision Layer Wound
- Gas: 75-95% Argon / Balance Co2 or 98% Argon 2%O2



Code	Description	+GST	INCL
XA-100SG1015	ER100S-G HighTensile Mig Wire 1.0mm x 15kg	\$140.87	\$162.00
XA-100SG1215	ER100S-G HighTensile Mig Wire 1.2mm x 15kg	\$136.52	\$157.00

GASLESS MIG WIRE

XA E71T-GS is for single pass fillet and lap welding on galvanized or carbon steel as thin as 1.2mm without burn-through.

XA E71T-11 all position general purpose gasless wire for single pass & limited multiple pass welds, ideal for mild & galvanized steel up to 12mm material thickness.



Code	Description	+GST	INCL
XA-E71TGS0850	XcelArc E71T-GS Gasless Wire 0.8mm x 5.0kg	\$86.09	\$99.00
XA-E71T110950	XcelArc E71T-11 Gasless Wire 0.9mm x 5.0kg	\$77.39	\$89.00
XA-E71T111250	XcelArc E71T-11 Gasless Wire 1.2mm x 5.0kg	\$68.70	\$79.00

5356 ALUMINIUM MIG WIRE

Suitable for all Aluminium Welding & Fabrication, General Engineering, Transport & Marine Engineering.

- Triple Shaved
- Smooth Feeding
- X-Ray Quality
- Low Fume Factor
- Precision Layer Wound
- International Approvals



Code	Description	+GST	INCL
XA530805	XA5356 x 0.8mm Al Mig Wire x 0.45kg Spool	\$15.90	\$18.29
XA530905	XA5356 x 0.9mm Al Mig Wire x 0.45kg Spool	\$15.90	\$18.29
XA531005	XA5356 x 1.0mm Al Mig Wire x 0.45kg Spool	\$15.00	\$17.25
XA531205	XA5356 x 1.2mm Al Mig Wire x 0.45kg Spool	\$15.00	\$17.25
XA530920	XA5356 x 0.9mm Al Mig Wire x 2.0kg Spool	\$45.65	\$52.50
XA531020	XA5356 x 1.0mm Al Mig Wire x 2.0kg Spool	\$43.04	\$49.50
XA531220	XA5356 x 1.2mm Al Mig Wire x 2.0kg Spool	\$42.17	\$48.50
XA531070	XA5356 x 1.0mm Al Mig Wire x 7.0kg Spool	\$138.26	\$159.00
XA531270	XA5356 x 1.2mm Al Mig Wire x 7.0kg Spool	\$129.57	\$149.00

ANTI-SPATTER AEROSOL SPRAY ALLOWS SURFACE PAINTING AFTER USE

SILICONE FREE - BENZENE FREE - NON FLAMMABLE - CFC FREE

Xcel-Arc Anti-Spatter Spray is engineered to protect torch parts, tooling, and fixtures from spatter build-up. A convenient solvent-based, quick-drying aerosol that allows for pre-heat, higher duty cycles, and higher temperature applications. The special formula allows surface painting after use. Base metal and fixture applications become easier to clean and remove unwanted weld spatter. Xcel-Arc Anti-Spatter Spray is anhydrous without silicone.



400G AEROSOL CAN

\$9.99
Including GST
\$8.69 excluding GST
XA1390/S

ESR11- GENERAL PURPOSE (G.P) ELECTRODE

For structural steelwork, workshop & general maintenance welding. All positional welding with good gap-bridging, smooth arc, easy restriking properties. Welds are smooth, slightly concave and blend into the base metal without undercutting. Suitable for welding galvanized steel, primer painted and slightly rusted components.

AWS/ASME SFA 5.1 E6013

Packaged in Convenient 2kg
& 5kg Recyclable Plastic Cannister



Code	Description	+GST	INCL
ESR1125-25P	ESR11 Electrode 2.5mm 2.0kg Plastic Cannister	\$24.35	\$28.00
ESR1125-50P	ESR11 Electrode 2.5mm 5.0kg Plastic Cannister	\$48.70	\$56.00
ESR1132-25P	ESR11 Electrode 3.2mm 2.5kg Plastic Cannister	\$23.00	\$26.45
ESR1132-50P	ESR11 Electrode 3.2mm 5.0kg Plastic Cannister	\$46.00	\$52.90

ESB40 - E7016 BASIC LOW HYDROGEN ELECTRODE

Suitable for repair welding on difficult to weld steels, welding of steels with unknown composition. Produces high tensile strength weld metal with excellent toughness values making this electrode suitable for welding restrained structural members and large weld cross sections. Also preferred for buffer layer applications on steels before hardfacing and for welding of cast irons with high preheat. Welds are of X-ray quality.

AWS/ASME SFA 5.1 E7016

Code	Description	+GST	INCL
ESB4025-50	ESB40 - 7016 Electrode 2.5mm 5.0kg Pkt	\$56.00	\$64.40
ESB4032-50	ESB40 - 7016 Electrode 3.2mm 5.0kg Pkt	\$52.00	\$59.80
ESB4040-65	ESB40 - 7016 Electrode 4.0mm 6.5kg Pkt	\$63.00	\$72.45

ESB44 - E7016 H8 TWIN COATED LOW HYDROGEN ELECTRODE

Smooth running all position low hydrogen electrode. Suitable for repair welding on difficult to weld steels and steels with unknown composition. Produces high tensile strength weld metal with excellent toughness values, suitable for welding structural steel with exceptional mechanical and X-ray qualities. Ideal for buffer layer on steels before hardfacing.

AWS/ASME SFA - 5.1 E 7016

Code	Description	+GST	INCL
ESB4425-25V	E7016-H8 Electrode 2.5 x 350mm 2.5Kg Vac Pkt	\$35.52	\$40.85
ESB4432-25V	E7016-H8 Electrode 3.2 x 350mm 2.5Kg Vac Pkt	\$35.52	\$40.85
ESB4440-25V	E7016-H8 Electrode 4.0 x 350mm 2.5Kg Vac Pkt	\$35.52	\$40.85

ESB48 - E7018 H8 IRON POWER LOW HYDROGEN ELECTRODE

Suitable for welding fabrication of dynamically loaded steel constructions, bridge, ship-building, pipe-line, pressure vessels, tanks, boiler and machines where high toughness is required. Smooth and clean welds merging into base metal without undercuts. Good gap bridging properties. Welds are of X-ray quality.

AWS/ASME SFA - 5.1 E 7016

Code	Description	+GST	INCL
ESB4825-25V	E7018-H8 Electrode 2.5 x 350mm 2.5Kg Vac Pkt	\$26.00	\$29.90
ESB4832-25V	E7018-H8 Electrode 3.2 x 450mm 2.5Kg Vac Pkt	\$26.00	\$29.90
ESB4840-25V	E7018-H8 Electrode 4.0 x 450mm 2.5Kg Vac Pkt	\$26.00	\$29.90

TG102 - ER70S-2 MICRO ALLOYED STEEL TIG ROD

Micro-alloyed rod for TIG welding of unalloyed steels. Due to it's Ti and Al micro alloy contents, particularly suitable for single pass welding of galvanized, pre-painted, rusty and dirty steels. Suitable also welding in thin metal plates and repair welds.

AWS/ASME SFA 5.18 ER70S-2

Code	Description	+GST	INCL
TG102-16	ER70S-2 Tig Rod x 1.6mm 5.0kg Tube	\$60.00	\$69.00
TG102-20	ER70S-2 Tig Rod x 2.0mm 5.0kg Tube	\$60.00	\$69.00
TG102-24	ER70S-2 Tig Rod x 2.4mm 5.0kg Tube	\$60.00	\$69.00

CHIPPING HAMMERS TAKE YOUR PICK



Code	Description	+GST	INCL
CH-SPR	Spring Handle Chipping Hammer	\$11.26	\$12.95
CH-BG	Blue Handle Chipping Hammer	\$11.26	\$12.95
CH7002	USA Style - Red Handle Chipping Hammer	\$15.61	\$17.95

VIPER MIG185

180 AMP DC MIG/TIG/MMA



- Modern IGBT Inverter Technology
- MIG Gas/Gasless Capability
- Wire Inch / Burn Back Control
- Welds Excellent with CO₂ Gas
- 5kg Spool Capacity
- Euro Torch Connection
- MMA Electrode Hot Start
- Compliant to AS/NZ 60974-1

Power Supply	230V - 1Ph
Duty Cycle @ 40°C	10% @ 180A
@ 25°C	25% @ 180A
Current Range MIG	30 - 180A
Current Range MMA	10 - 160A
Rated Power	7.1 KVA
I _{eff}	9.8 Amps
Dimensions (mm)	553x214x388
Weight	12.0kg

C/w 3m XA15 Suregrip™ BZL Series Mig Torch,

Arc Set x 3m, Twin Gauge Argon Regulator

Tig Torch is Optional and Extra



\$1,039.00
Including GST

\$903.48 excluding GST
XA-MIG185V-K

VIPER TIG180 AC/DC

180 AMP AC/DC TIG/MMA



- HF Arc Start
- 2/4T Trigger Function
- AC Square Wave
- AC Balance & Frequency Control
- Full Digital Pulse Functionality
- Remote Amperage Capable
- MMA with VRD
- Pre & Post Gas Flow Control
- Compliant to AS/NZ 60974-1

Power Supply	230V - 1Ph
Duty Cycle @ 40°C	15% @ 180A
@ 25°C	40% @ 180A
Current Range TIG	5 - 180A
Current Range MMA	10 - 130A
Rated Power	8.0 KVA
I _{eff}	10 Amps
Dimensions (mm)	502x218x382
Weight	7.5kg

C/w ARC T2FX x 4m Flexi-Neck TIG Torch,
Arc Set x 4m, Argon Regulator



\$1,839.00
Including GST

\$1,599.13 excluding GST
XA-TIG180V ACDC-T2

VIPER CUT30

30 AMP PLASMA CUTTER



- Modern IGBT Inverter Technology
- Pilot Arc Non Contact Start
- Maximum Clean Cut (steel) 12mm
- Maximum Sever Cut (steel) 15mm
- High Quality Surecut SC40 Torch
- Generator Compatible 7.5KVA
- Strong metal housing
- Fitted with 10 Amp Plug
- Compliant to AS/NZ 60974-1

Power Supply	230V - 1Ph
Duty Cycle @ 40°C	15% @ 30A
Air Flow Pressure	6.0cfm @70psi
Rated Power	7.5 KVA
Dimensions (mm)	460x160x320
Weight	11.6kg

C/w SureCut™ SC40 Plasma Torch x 4m,
Earth Lead and Spares Kit



\$799.00
Including GST

\$694.78 excluding GST
XA-CUT30V-K

VIPER TIG200P

200 AMP DC PULSE TIG



- Modern IGBT Inverter Technology
- DC TIG HF Arc Ignition
- Pulse Control 0.2~200Hz
- 2T/4T Trigger
- Post Gas Flow Control
- Up & Down Slope Control
- Remote Amp Control from Torch
- Compliant to AS/NZ 60974-1

Power Supply	230V - 1Ph
Duty Cycle @ 40°C	30% @ 200A
@ 25°C	60% @ 200A
Current Range TIG	10 - 200A
Current Range MMA	10 - 160A
Rated Power	8.0 KVA
Dimensions (mm)	420x160x330
Weight	7.5kg

C/w 8m XA17FX Suregrip™ Series Tig Torch with
Remote Amp Control, Arc Set x 4m, Argon Flow Regulator



\$995.00
Including GST

\$865.22 excluding GST
XA-TIG200VP-K

VIPER ARC140

140 AMP DC MMA WELDER



- Modern IGBT Inverter Technology
- MMA Hot Start Electrode
- Generator Compatible 6.5 KVA
- Compliant to AS/NZ 60974-1

Power Supply	230V - 1Ph
Duty Cycle @ 40°C	15% @ 140A
@ 25°C	40% @ 140A
Current Range	20 - 140A
Rated Power	6.5 KVA
I _{eff}	10 Amps
Dimensions (mm)	295x135x270
Weight	3.8kg

C/w 2.5m Arc Lead Set



\$289.00
Including GST

\$251.30 excluding GST
XA-VA140

VIPER ARC160

160 AMP DC MMA WELDER



- Modern IGBT Inverter Technology
- MMA Hot Start Electrode
- Generator Compatible 8.0 KVA
- Compliant to AS/NZ 60974-1

Power Supply	230V - 1Ph
Duty Cycle @ 40°C	15% @ 160A
@ 25°C	40% @ 160A
Current Range	20 - 160A
Rated Power	8.0 KVA
I _{eff}	12.5 Amps
Dimensions (mm)	295x135x270
Weight	4.0kg

C/w 2.5m Arc Lead Set



\$305.00
Including GST

\$265.22 excluding GST
XA-VA160



SYNERGIC MIG120

- MIG Gas, Gasless capability
- 1Kg Spool Size
- Automatic Burn Back
- Small, Compact, Portable
- Light Weight 5.2kg
- Fitted with 10 Amp Domestic Plug
- Generator Compatible 4.5KVA
- Certified & Approved to AS/NZS 60974-1



BONUS!
Spool of
Gasless Mig Wire

SYNERGIC TECHNOLOGY SINGLE KNOB CONTROL

Makes it easy for those with little or no experience to be able to MIG weld.
Choose your wire size turn the heat up or down as required to suit the job.

Power Supply	230V - 1Ph
Duty Cycle @ 40°C	10% @ 120A
@ 25°C	25% @ 120A
Current Range	40 - 120A
Wire Sizes	0.6, 0.8, 0.9mm

Supplied with Fixed Mig Torch, Earth Lead,
Drive Roller Set, 1kg Spool Gasless Wire.
Regulator is Optional & Extra



\$369.00
Including GST

\$320.87 excluding GST
XA-MIG120V-K

PERFECT FOR THAT WELDING JOB AT THE BATCH OR CRIB!

RazorWeld

RWX5000 P.A.P.R SYSTEM



WELDING RESPIRATOR AS/NZS P2 PROTECTION

With Fitted RWX5000 Digital Auto-Darkening Helmet
Huge 100 x 60mm View

- Positive pressure system
- Long lasting P3 filter
- Auto shutdown mode
- 3 airflow levels
- Low airflow / low battery alarm
- Side or rear mount of blower unit
- Digital 4 sensor auto darkening helmet
- AS/NZS 1716:2012 approved
- Warranty 1 year - Blower Unit
- Warranty 2 years - RWX5000 Lens



The Razorweld PAPR system provides industrial level protection for the most extreme welding applications and environments where effective and reliable eye and respiratory protection is a must.

The Powered Air Purifying Respirator system is built with a tough robust exterior yet is comfortable and lightweight. The ergonomic design, lightweight shell, fully adjustable head gear & back harness delivers maximum comfort during long welding periods.

Fitted with the wide-view RWX-5000 series helmet featuring a digitally controlled auto darkening filter, adjustable from shade 5-9 and shade 9-13 makes it ideal for MMA, TIG and MIG welding, as well as Plasma Cutting and even grinding applications.

The combination of the RazorWeld PAPR unit and the RWX-5000 helmet provides you with standards-approved and certified welding protection ensuring the highest levels of welding safety whilst at a highly competitive price.



XA-5022(D) Control Panel



ELITEVISION™
LENS TECHNOLOGY

\$1,149.00
Including GST
\$999.13 excluding GST
XA-PAPR

“Want to know more?” Visit www.xcelarc.nz or contact your nearest Xcel-Arc and Razorweld stockist today!

XA
XCEL-ARC

Special pricing valid until 31st August, 2021

RazorWeld

RazorCut



**26 Harrow Street
Dunedin**

**Tel. 03-474 0612
Email: sales@betechn.co.nz**

The stores promoting the offers featured in this publication are independent businesses. Therefore, not all products in this catalogue are kept in stock at all times at all stores. Although best efforts have been made to ensure all details in this catalogue are correct at the time of printing, Esseti New Zealand Limited (the importer) reserves the right to correct pricing and printing errors and product specifications should the need arise. Offers valid until 31st August, 2021 or while stocks last.