

WINTER 2022

VIVA LA REVOLUTION!

NEW EVOLVE PULSE MIG PAGE 2

HUNGER STRIKE

CONSUMABLES FOR EVERYONE PAGE 8





Esseti New Zealand Ltd PO Box 4189 Palmerston North

711 Tremaine Avenue Palmerston North New Zealand



VOLV OO PULSE

NEXT GENERATION PULSE MIG

TIG mme



INNOVATIVE USER INTERFACE

Designed to take the stress out of dialling in the perfect settings for any job, the EVOLVE 200 Pulse leads the way in the ease of use stakes.

5" LCD TOUCH SCREEN - Make adjustments on the fly with an intuitive, simple to use screen. So simple it almost makes reading the manual optional.

FULLY SYNERGIC PROGRAMS – Just select your metal type, wire size and shielding gas then turn the machine up & down, the EVOLVE 200 Pulse takes care of the rest with programs developed right here in NZ.

PULSE MIG – SINGLE & DOUBLE PULSE

Pulse welding with the EVOLVE 200 Pulse reduces heat input into the workpiece and minimises spatter while offering faster weld speeds and enhanced penetration. Pulse welding is perfect for thin sections and softer materials, particularly aluminium.

SINGLE PULSE – Alternates between a peak current and a background current. DOUBLE PULSE - Uses a second background current level to enhance control over the arc.

Pulse MIG Welding delivers a finished weld appearance similar to a quality TIG Weld but with significantly faster speeds, lower cost and while virtually eliminating clean up time with an incredible reduction in weld spatter.

SMART APP VIA BLUETOOTH™

The EVOLVE 200 Pulse offers smart device connection via Bluetooth™. The EVOLVE smart app is stacked with features and benefits, including the option not to use it if desired.

FUTURE-PROOFED

The EVOLVE 200 Pulse offers the ability to connect a SPOOL GUN or PUSH-PULL GUN to further enhance the MIG Welding experience by extending torch reach and allowing for use of smaller diameter wires, even in PULSE MODE.

ENHANCED DC TIG FUNCTION

The EVOLVE 200 Pulse offers a new level of multifunction ability with the inclusion of HF-START and GAS SOLENOID operation on the DC-TIG function.



XA EVOLVE 200 PULSI

WELD SEQUENCE CONTROLS - Easily adjust your pre and post-flow gas, up and down-slope settings all via the 5" LCD touch screen or smart device (with app).

PULSE TIG - Raise the bar with the ability to select & adjust pulse settings in DC-TIG. Ideal for out of position welding and increasing weld speeds.



EVOLVE 200 PULSE

200 AMP PULSE MIG/TIG/MMA **SETTING A NEW STANDARD** SYNERGIC OPERATION

Multifunction MIG/TIG/MMA

- 5" LCD Touch Screen Single Pulse & Double Pulse MIG
- Synergic MIG operation with over 100 programs
- MIG Gas/Gasless
- 5kg Spool Capacity
- Spoolgun & Push-Pull Ready
- DC-TIG with HF Start & Gas Solenoid
- TIG Pulse, Slope & Gas Timer Controls
- MMA with Anti-Stick, Arc Force & Power Limit
- Unique EVOLVE Smart App for device connectivity
- Compliant to AS/NZ 60974-1

Power Supply 230V - 1phDuty Cycle @ 40°C 15% @ 200A Duty Cycle @ 25°C 40% @ 200A Current Range MIG 40 - 200ACurrent Range TIG 5 - 200ACurrent Range MMA 20 - 180ARated Power 11 KVA Dimensions 605x230x400mm

Weight

17kg





SINGLE & DOUBLE PULSE MIG



SYNERGIC PROGRAMS



TOUCH LCD SCREEN





4 GEARED WIRE DRIVE





Includina GST \$3.126.09 excluding GST XA-MIG200EP-K

C/w 3m DM26 Suregrip $^{\text{TM}}$ BZL Series Mig Torch with Remote Controls, Arc Set x 4m, Twin Gauge Argon Regulator. Tig Torch is Optional and Extra.

RazorWeld TIG320ACDC

TIG320AC DC TIG/MMA INVERTER WELDER WATER COOLED PACKAGE **INDUSTRIAL 3-PHASE**

AC TIG

- HF Arc Ignition
 - Lift Arc Ignition
 - Square Wave Form
- Trapezoidal Wave Form
- Sine Wave Form
- AC Frequency Control
- AC Balance Control
- DC TIG
 - HF Arc Ignition
 - Lift Arc Ignition
- MIX ARC TIG (AC-DC)
 - HF Arc Ignition
 - Lift Arc Ignition
 - AC Wave Hz Control
 - AC-DC Mix Cycle % Control
 - AC-DC Mix Pulse Hz Control
- Digital Weld Sequence Control
 - Pre & Post Gas Control
 - Start & Final Amp Control
 - Up & Down Slope Control
 - 2T,2S/4T,4S Trigger Select - Job Memory Storage
 - Store & Select 50 Programs
- · Digital Pulse Control
 - Peak & Base Amp Select
 - Pulse Frequency Control
 - Pulse Width Control
- MMA (Stick Electrode)
 - AC & DC Output
 - Ignition Amp Control
 - Ignition Time Control
 - Arc Force Control

Power Supply Duty Cycle @ 40°C 415V - 3 Phase 30% @ 320A TIG

30% @ 270A MMA

Current Range TIG Current Range MMA Rated Input Power

10 - 320A 10 - 270A 10 kVA

Certification Approval AS/NZS60974-1

\$**7,610**.00 Including GST

\$6,617.39 excluding GST XA-TIG320R7 ACDC-K

COMPLETE PACKAGE DEAL


Comprises RAZORWELD TIG320ACDC Power Source, Water Cooler, Machine Trolley, ARC T4W Water Cooled Tig Torch x 8m with Starter Kit Earth Lead x 4m, Arc Lead x 4m, Argon Flowmeter Regulator

MULTIPLE AC WAVE FORMS - MIX ARC WAVE FORM (AC+DC)

AC SQUARE WAVE: Allows the current to switch from electrode + to electrode - very quickly. This produces high voltage as the current switches polarities allowing the arc to restart easily. The arc can be maintained without the use of high-frequency, the fast transition provides for responsive, dynamic & focused arc for better control.




TRIANGLE WAVE: Characterised by a particularly soft and concentrated arc combining the effect of peak amperage while reducing overall heat input. Leads to quick puddle formation and because of lowered heat input reduces weld distortion especially on thin material. This wave form is ideal for very precise welding of thin aluminum plate.



AC MIX ARC: This function of MIX AC/DC makes it possible to modulate the welding current, alternating a period of TIG AC with a period of TIG DC-. The efficiency of AC TIG welding can be combined with the high penetration of DC TIG welding, obtaining higher welding speeds and establishing the weld puddle quicker on cold workpieces. Ideal for welding heavier gauge material with less current than AC welding.





RazorWeld

TIG**2**00PRZ

TIG200PRZ 200 AMP DC PULSE TIG/MMA

- DC TIG HF Arc Ignition
- Complete Pulse Function
- 2T/4T Trigger, Spot Time
- Start & Final Current Control
- Pre & Post Gas Flow Control
- Up & Down Slope Control
- MMA Arc Ignition Control
- MMA Arc Force Control

• Compliant to AS/NZ 60974-1 Power Supply 230V - 1Ph

Duty Cycle @ 40°C 25% @ 200A @ 25°C 55% @ 200A

Current Range TIG 05 - 200A Current Range MMA 10 - 160A

Rated Power 7.0 KVA Dimensions (mm) 365x135x277 6.5kg

C/w ARC T2FX x 8m Flexi TIG Torch & Starter Kit, Arc Set x 4m, Argon Flowtube Regulator



TIG200

Including GST ,338.26 excluding GST

XA-TIG200PRZ-T2

Razor*Weld*

TIG200CRZ AC/DC 200 AMP AC DC TIG/MMA DIGITAL FUNCTION

- AC Square Wave
- AC Balance & HZ Control
- User Friendly Digital Interface
- Full Digital Pulse Functionality
- Full Weld Control Functionality
- Remote Amperage Capable
- MMA with VRD
- Automatic Arc Ignition Control
- Arc Force Current Control
- Compliant to AS/NZ 60974-1

230V - 1Ph Power Supply Duty Cycle @ 40°C 25% @ 200A

@ 25°C 55% @ 200A Current Range TIG 05 - 200A

Current Range MMA 10 - 160A Rated Power 6.0 KVA

Dimensions (mm) 426x162x326 Weight 10.0kg



Including GST \$2,282.61 excluding GST

XA-TIG200CRZ ACDC-T3

C/w ARC T3FX x 4m Flexi TIG Torch & Starter Kit. Arc Set x 4m, Argon Flowtube Regulator

TIG200PXP 200 AMP AC DC TIG/MMA



· HF Arc Start

Weight

- 2/4T Trigger Function
- AC Balance Control
- Pulse Control Functions • Down Slope, Post Gas Control
- Electrode Hot Start, Arc Force
- Compliant to AS/NZ 60974-1

230V - 1Ph Power Supply Duty Cycle @ 40°C 20% @ 200A @ 25°C 50% @ 200A

Current Range MMA 10 - 170A 10 - 200A Current Range TIG Rated Power 5.8 KVA 510x330x360 Dimensions (mm)

C/w XA26FX x 4m Flexi TIG Torch & Spares Kit, Arc Set x 4m, Argon Flowtube Regulator

30kg



\$2.085.00 Including GST \$1,813.04 excluding GST XA-TIG200PXP-K

RazorWeld

mic200

MIG200 200 AMP DC MIG/MMA

- Multifunction MIG/MMA
- MIG Gas/Gasless
- Burn Back Control
- Wire Inch
- Spool Gun Ready
- 5Kg Spool Capacity
- MMA Hot Start Electrode
- Compliant to AS/NZ 60974-1

Power Supply 230V - 1Ph Duty Cycle @ 40°C 20% @ 200A @ 25°C 45% @ 200A

Current Range MIG 30 - 200A Current Range MMA 10 - 200A Rated Power 9.4 KVA

Dimensions (mm) 470x190x380 Weight 12.5kg

C/w 3m XA25 Suregrip™ BZL Series Mig Torch, Arc Set x 4m, Twin Gauge Argon Regulator

Euro Tig Torch is optional and extra



\$**1,415**.00 Including GST

\$1,230.44 excluding GST XA-MIG200R7-K

Razor*Weld*

MIG205-SS 200 AMP DC MIG/TIG/MMA

- Multifunction MIG/TIG/MMA
- New IGBT 40KHz Technology
- MIG Gas/Gasless, 5kg Spool Capacity
- Smart Set or Manual Operation
- · Spool Gun Ready
- DC TIG Lift Arc, Euro Torch Connect
- TIG Gas Solenoid, Post-Gas/Downslope
- · Electrode Hot Start
- Compliant to AS/NZ 60974-1

Power Supply 230V - 1Ph Duty Cycle @ 40°C 20% @ 200A @ 25°C 45% @ 200A

Current Range MIG 30 - 200A Current Range TIG 10 - 200A Rated Power 9.4 KVA

Dimensions (mm) 470x190x380 12.5kg Weight

C/w 3m XA24 Suregrip™ BZL Series Mig Torch. Arc Set x 4m, Twin Gauge Argon Regulator

Euro Tig Torch is optional and extra



MIG

\$**1.605**.00 Includina GST

\$1,395.65 excluding GST XA-MIG205SS-K

OPTIONAL MIG205-SS TIG TORCH WITH EURO CONNECTION





Including GST

\$195.65 excluding GST

Suits XA-MIG205SS and XA-MIG250DRZ. Includes momentary trigger switch.

XATK7 - Package Contents:

XA26 x 4m TIG Torch 35-50 Surelok Connector,

Spares Kit: 10N31 Collet Body 1.6mm, 10N32 Collet Body 2.4mm

10N23 Collet 1.6mm, 10N24 Collet 2.4mm

10N49 Nozzle #5 Ø8mm, 10N48 Nozzle #6 Ø9.5mm Thoriated Tungsten 1.6mm & 2.4mm, Parts Box

Razor*Weld*

MIG250CRZ 250 AMP DC MIG/TIG/MMA

- MIG Gas/Gasless
- Inductance & Burn Back Control
- Spool Gun Ready
- 15Kg Spool Capacity
- DC TIG Lift Arc
- MMA Hot Start Electrode
- Compliant to AS/NZ 60974-1

230V - 1Ph Power Supply Duty Cycle @ 40°C 30% @ 250A

@ 25°C 60% @ 250A

Current Range MIG 30 - 250A Current Range MMA/TIG 15 - 250A Rated Power 10.8 KVA

Dimensions (mm) 628x267x453 30kg Weight

C/w 4m XA24 Suregrip™ BZL Series Mig Torch, Arc Set x 4m, Twin Gauge Argon Regulator

Tig Torch is optional and extra



mig250crz

Including GST

\$1,960.87 excluding GST XA-MIG250CRZ-K

RazorWeld

mıc ' **OPTIONAL MIG TROLLEY**

HEAVY DUTY CONSTRUCTION

- Suits Models MIG250CRZ & MIG250DRZ
- Slide Out Drawer
- Water Cooler Compatible
- · Cylinder Rack, Saftey Chain
- Front Swivel Castors
- Solid Rubber Wheels

s369.oo **Including GST**

\$320.87 excluding GST XA-TR250





MIG SPOOL GUNS **IDEAL FOR DISTANCE & SOFT WIRE WELDING**

SUREGRIP SP15 150 AMP

A versitile spool oun ideal for Panel Beating applications using 0.6mm wire, silcon bronze 0.9mm wire. Capable to weld aluminium up to 4mm thick using 0.9mm Aluminium wire.

- Air Cooled 150 Amps
- 50% Duty Cycle with Argon Gas
- 6 Metre Cable Length
- Euro Connection
- 24v Motor
- External Wire Tensioner
- Duraflex Cable System

SUREGRIP SP15 150 AMP

\$**589**.00 Including GST \$512.17 excluding GST

XASP15-24-P1-60ER

SUREGRIP SP24 200 / SP36 300 AMP

Industrial series spool gun ideal for distance welding using most wires. Ideal for Aluminium welding applications.

- Air Cooled 200 & 300 Amps
- 60% Duty Cycle with Argon Gas
- 6 Metre Cable Length
- Euro Connection
- 24v Motor
- · External Wire Tensioner
- **Duraflex Cable System**
- Speed Control at Torch (machine capability dependent)

Includina GST \$694.78 excluding GST

XASP24-24-P1-60ER

SUREGRIP SP24 200 AMP SUREGRIP SP36 300 AMP

Including GST

\$738.26 excluding GST XASP36-24-P1-60ER

RazorWeld mig200wrz

MIG200WRZ 200 AMP DC MIG/TIG/MMA

- Multifunction MIG/TIG/MMA
- MIG Gas/Gasless
- Inductance & Burn Back Control
- · Spool Gun & Push Pull Ready
- 15Kg Spool Capacity
- DC TIG Lift Arc
- · MMA Hot Start
- Compliant to AS/NZ 60974-1

230V - 1Ph Power Supply Duty Cycle @ 40°C 15% @ 200A @ 25°C 40% @ 200A Current Range MIG 30 - 200A Current Range TIG-MMA 10 - 200A Weight 57Kg

900x400x785 Dimensions (mm)

C/w 4m XA24 Suregrip™ BZL Series Mig Torch, Arc Set x 4m, Twin Gauge Argon Regulator

Tig Torch is Optional and Extra



\$2,255.00 Including GST

\$1,960.87 excluding GST XA-MIG200WR7-K

Razor*Weld*

mic=

MIG250WRZ 250 AMP DC MIG/TIG/MMA

- Multifunction MIG/TIG/MMA
- MIG Gas/Gasless
- Inductance & Burn Back Control
- · Soft Start MIG
- Spool Gun Ready
- 15Kg Spool Capacity
- DC TIG Lift Arc
- MMA Hot Start
- Compliant to AS/NZ 60974-1

Power Supply 230V - 1Ph Duty Cycle @ 40°C 35% @ 250A @ 25°C 60% @ 250A 30 - 250A Current Range MIG Current Range TIG-MMA 10 - 250A

Weight 58Kg Dimensions (mm) 900x400x785

C/w 4m XA24 Suregrip™ BZL Series Mig Torch, Arc Set x 4m, Twin Gauge Argon Regulator

Tig Torch is Optional and Extra



\$2,535.00 **Including GST**

\$2,204.35 excluding GST XA-MIG250WRZ-K

Razor*Weld*

mic3

MIG350WRZ 350 AMP DC MIG/TIG/MMA

- Multifunction MIG/TIG/MMA
- MIG Gas/Gasless
- Inductance & Burn Back Control
- Soft Start MIG
- Spool Gun Ready
- 15Kg Spool Capacity
- DC TIG Lift Arc
- · MMA Hot Start
- Compliant to AS/NZ 60974-1

415V - 3Ph Power Supply Duty Cycle @ 40°C 40% @ 350A @ 25°C 70% @ 350A Current Range MIG 50 - 350A

Current Range TIG-MMA 20 - 350A Weight 58Kg

Dimensions (mm) 900x400x785

C/w 4m XA36 Suregrip™ BZL Series Mig Torch, Arc Set x 4m, Twin Gauge Argon Regulator

Tig Torch is Optional and Extra



\$**3,295**.00 Including GST

\$2.865.22 excluding GST XA-MIG350WRZ-K

RazorWeld mig350swf

MIG350RZ SWF 350AMP DC MIG/TIG/MMA

Digital Amperage Wire Speed Standard MIG





MIG Wire Speed

Wire Inch

MIG Voltage

- · Heavy Duty Industrial 3-Phase
- New Arc Air Gouging Function
- Integral Water-Cooler Ready
- Digital Controls
- Push Pull & Spool Gun Ready
- 10m Interconnecting Cables
- MIG Inductance Control
- MIG Burn Back Control
- · MIG Crater Current Control
- Approved to AS/NZ 60974-1

Power Supply 415V - 3Ph Duty Cycle @ 40°C 40% @ 350A @ 25°C 70% @ 350A

50 - 350A Current Range MIG Current Range MMA 20 - 350A Rated Power 12.8 KVA

C/w 4m XA36 Suregrip™ Mig Torch, Arc Set x 4m, Twin Gauge Argon Regulator Tig Torch is Optional and Extra





\$6,295.00 Including GST \$5,473.91 excluding GST

XA-MIG350RZSWF-K

mid=00swF

THE BEAST!

Razor*Weld*

MIG500RZ SWF 500AMP DC MIG/TIG/MMA

INDUSTRIAL WORKHORSE Digital Amperage Standard MIG

Digital Voltage Spool-Gun / Push-Pull Display



MIG Wire Speed Control

Wire Speed

Wire Inch

MIG Voltage Control

- Heavy Duty Industrial 3-Phase
- New Arc Air Gouging Function
- Integral Water-Cooler Ready
- · Digital Controls
- · Push Pull & Spool Gun Ready
- 10m Interconnecting Cables
- MIG Inductance Control
- · MIG Burn Back Control • MIG Crater Current Control
- Approved to AS/NZ 60974-1

Power Supply 415V - 3Ph

Duty Cycle @ 40°C 60% @ 500A @ 25°C 80% @ 500A

Current Range MIG 50 - 500A Current Range TIG-MMA 20 - 350A Rated Power 24.7 KVA

C/w 4m XA38 Suregrip™ Mig Torch, Arc Set x 4m, Twin Gauge Argon Regulator Tig Torch is Optional and Extra





\$6,925.00 *Including GST* \$6,021.74 excluding GST XA-MIG500R7SWF-k

RazorWeld

ARC160 160 AMP DC MMA/TIG

- Certified with 10 Amp Plug
- Power Factor Correction (PFC)
- MMA (stick electrode)
- Selectable On/Off VRD
- Hot Start, Arc Force
- DC-TIG Lift Arc Ignition
- Generator Compatible 7.1KVA
- Compliant to AS/NZ 60974-1

230V - 1Ph Power Supply Duty Cycle @ 40°C 20% @ 160A

> @ 25°C 40% @ 160A

Current Range MMA 30 - 160A Current Range TIG 10 - 160A

77V OCV (VRD Off) 7.1 KVA Rated Power Weight 6.5kg

C/w 4m Arc Set (incl.twist type Electrode Holder)

Tig Torch is Optional and Extra





\$760.00 **Including GST** \$660.87 excluding GST XA-ARC160RZ-K

ARC180

ARCISO

Razor*Weld*

ARC180 180 AMP DC MMA/TIG

- 180 Amp 230V
- Industrial Application
- MMA (stick electrode)
- Selectable On/Off VRD
- Hot Start, Arc Force
- DC-TIG Lift Arc Ignition
- Generator Compatible 8.2KVA
- Compliant to AS/NZ 60974-1

Power Supply 230V - 1Ph Duty Cycle @ 40°C 20% @ 180A

40% @ 180A @ 25°C Current Range MMA 30 - 180A Current Range TIG 10 - 180A

OCV (VRD Off) 77V Rated Power 8.2 KVA 4.7kg Weight

C/w 4m Arc Set and Heavy-Duty Safe Case (incl.twist type Electrode Holder)

Tig Torch is Optional and Extra



\$609.00 Including GST

\$529.57 excluding GST XA-ARC180RZ-K

RazorWeld

ARC200 200 AMP DC MMA/TIG

- 200 Amp 230V
- Power Factor Correction (PFC)
- MMA (stick electrode)
 - Selectable On/Off VRD
- Hot Start, Arc Force
- DC-TIG Lift Arc Ignition
- Generator Compatible 9.0KVA
- Compliant to AS/NZ 60974-1

230V - 1Ph Power Supply Duty Cycle @ 40°C 25% @ 200A

@ 25°C 40% @ 200A Current Range MMA 30 - 200A 10 - 200A Current Range TIG OCV (VRD Off) 77V

Rated Power 9.0 KVA Weight 6.5kg

C/w 4m Arc Set (incl.twist type Electrode Holder)

Tig Torch is Optional and Extra





\$900.00 Including GST \$782 61 excluding GST

XA-ARC200RZ-k

Razor Cut

CUT40 40 AMP PLASMA CUTTER WITH BUILT IN AIR COMPRESSOR

- PFC Power Factor Correction
- Inbuilt Compressor Cut Thickness:
- Clean Cut on Steel 12mm
- Sever Cut on Steel 15mm
- External Compressor Cut Thickness:
 - Clean Cut on Steel 15mm
- Sever Cut on Steel 18mm
- SC80 Euro Connect Plasma Torch
- Generator Compatible 10.0 KVA

230V - 1Ph Power Supply Cut Current Range 20 - 40A Duty Cycle @ 40°C 40% @ 40A Plasma Arc Start Pilot Arc Air Flow Draw 4 5cfm Air Pressure 75psi

Protection Class IP23

Dimensions (LxWxH) 510x210x380mm

Weight Power Source 18Kg

Certification Approval AS/NZ60974-1

C/w 6m SC80 Suregrip™ Plasma Torch, Earth Lead and Spares Kit.



CUT⁺OPC

\$2,360.00 **Including GST**

\$2,052.17 excluding GST XA-CUT40PC-K

Razor Cut

CUT45 **45 AMP PLASMA CUTTER**

- 45 Amp @ 35% Duty Cycle 230V
- 16mm Clean Cut on Steel
- 20mm Sever Cut on Steel
- PFC Power Factor Correction
- Pilot Arc Low Frequency Start
- 4T Function for Automatic use
- Compliant to AS/NZ 60974-1

Power Supply 230V - 1Ph Duty Cycle @ 40°C 30% @ 45A

@ 25°C 60% @ 45A

Rated Input Power 5.5KVA Air Flow Draw 6.7cfm Air Pressure 75psi Weight 9.8Kg Dimensions (mm) 410x165x330

C/w 6m SC80 Suregrip™ Plasma Torch, Earth Lead and Spares Kit.



\$**1,875**.00 İncludina GST \$1,630.44 excluding GST

XA-CUT45RZ-K

Razor*Cut*

CUT80 80 AMP PLASMA CUTTER

- 80 Amp @ 35% Duty Cycle 415V
- 30mm Clean Cut on Steel
- 35mm Sever Cut on Steel
- **CNC Connect Ready**
- Pilot Arc Low Frequency Start
- 4T Function for Automatic use
- Compliant to AS/NZ 60974-1

Power Supply 415V - 3Ph Duty Cycle @ 40°C 40% @ 80A @ 25°C 80% @ 80A

Rated Output Volatge 112V Air Flow Draw 7.5cfm Air Pressure 80psi Weiaht 16Ka Dimensions (mm) 560x220x415

C/w 6m SC80 Suregrip™ Plasma Torch. Earth Lead and Spares Kit.



s2.409.00 Including GST

\$2,094.78 excluding GST XA-CUTROR7-K

VIPER MIG185 180 AMP DC MIG/TIG/MMA

- Modern IGBT Inverter Technology
- MIG Gas/Gasless Capability
- · Wire Inch / Burn Back Control
- . Welds Excellent with CO2 Gas
- 5kg Spool Capacity
- Euro Torch Connection
- MMA Electrode Hot Start
- Compliant to AS/NZ 60974-1

Power Supply 230V - 1Ph 10% @ 180A Duty Cycle @ 40°C @ 25°C 25% @ 180A

Current Range MIG 30 - 180A Current Range MMA 10 - 160A Rated Power 7.1 KVA I ieff 9.8 Amps Dimensions (mm) 553x214x388

12.0kg C/w 3m XA15 Suregrip™ BZL Series Mig Torch, Arc Set x 3m, Twin Gauge Argon Regulator

Tig Torch is Optional and Extra

Weight



\$**1.090**.00 Including GST

\$947.83 excluding GST XA-MIG185V-K

VIPER CUT30 30 AMP PLASMA CUTTER

- Modern IGBT Inverter Technology
- Pilot Arc Non Contact Start
- Maximum Clean Cut (steel) 12mm
- Maximum Sever Cut (steel) 15mm
- High Quality Surecut SC40 Torch
- Generator Compatible 7.5KVA
- Strong metal housing
- Fitted with 10 Amp Plug
- Compliant to AS/NZ 60974-1

230V - 1Ph Power Supply Duty Cycle @ 40°C 15% @ 30A 6.0cfm @70psi Air Flow Pressure Rated Power 7.5 KVA 460x160x320 Dimensions (mm) 11.6kg Weight

C/w SureCut™ SC40 Plasma Torch x 4m, Earth Lead and Spares Kit



\$805.00 Including GST

\$700.00 excluding GST XA-CUT30V-K

VIPER ARC140 140 AMP DC MMA WELDER

- Modern IGBT Inverter Technology
- MMA Hot Start Electrode
- Generator Compatible 6.5 KVA
- Compliant to AS/NZ 60974-1

Power Supply 230V - 1Ph Duty Cycle @ 40°C 15% @ 140A @ 25°C 40% @ 140A

20 - 140A Current Range Rated Power 6.5 KVA I ieff 10 Amps

Dimensions (mm) 295x135x270 3.8kg Weight

C/w 2.5m Arc Lead Set



Including GST \$246.09 excluding GST XA-VA140

VIPER TIG180 AC/DC 180 AMP AC+DC TIG/MMA





- HF Arc Start
- 2/4T Trigger Function
- · AC Square Wave
- AC Balance & Frequency Control
- · Full Digital Pulse Functionality
- Remote Amperage Capable
- MMA with VRD
- Pre & Post Gas Flow Control
- Compliant to AS/NZ 60974-1

Power Supply 230V - 1Ph Duty Cycle @ 40°C 15% @ 180A

@ 25°C 40% @ 180A Current Range TIG 5 - 180A Current Range MMA 10 - 130A

Rated Power 8.0 KVA I ieff 10 Amps Dimensions (mm) 502x218x382 Weight 7.5kg

C/w ARC T2FX x 4m Flexi-Neck TIG Torch, Arc Set x 4m, Argon Regulator





Including GST

\$1,678.26 excluding GST XA-TIG180V ACDC-T2

VIPER TIG200P 200 AMP DC PULSE TIG

- Modern IGBT Inverter Technology
- DC TIG HF Arc Ignition
- Pulse Control 0.2~200Hz
- 2T/4T Trigger
- Post Gas Flow Control
- · Remote Amp Control from Torch
- Compliant to AS/NZ 60974-1

230V - 1Ph Power Supply Duty Cycle @ 40°C 30% @ 200A

@ 25°C 60% @ 200A Current Range TIG 10 - 200A Current Range MMA 10 - 160A Rated Power 8.0 KVA Dimensions (mm) 420x160x330

7.5kg

C/w 8m XA17FX Suregrip™ Series Tig Torch with Remote Amp Control, Arc Set x 4m, Argon Flow Regulator



\$**1.045**.00 Including GST \$908.70 excluding GST

XA-TIG200VP-K

VIPER ARC160 160 AMP DC MMA WELDER

- Modern IGBT Inverter Technology
- MMA Hot Start Electrode
- Generator Compatible 8.0 KVA
- Compliant to AS/NZ 60974-1

Power Supply 230V - 1Ph Duty Cycle @ 40°C 15% @ 160A

@ 25°C 40% @ 160A Current Range 20 - 160A Rated Power 8.0 KVA

L ieff 12.5 Amps Dimensions (mm) 295x135x270 Weight 4.0kg

C/w 2.5m Arc Lead Set



Includina GST \$254.78 excluding GST XA-VA160



SYNERGIC MIG120

- MIG Gas, Gasless capability
- 1Kg Spool Size
- Automatic Burn Back
- Small, Compact, Portable
- Light Weight 5.2kg
- Fitted with 10 Amp Domestic Plug
- Generator Compatible 4.5kVA
- Certified & Approved to AS/NZS 60974-1







Spool of Gasless Mig Wire

SYNERGIC TECHNOLOGY SINGLE KNOB CONTROL

Makes it easy for those with little or no experience to be able to MIG weld. Choose your wire size turn the heat up or down as required to suit the job.

230V - 1Ph Power Supply Duty Cycle @ 40°C 10% @ 120A @ 25°C 25% @ 120A

Current Range 40 - 120A Wire Sizes 0.6, 0.8, 0.9mm

Supplied with Fixed Mig Torch, Earth Lead, Drive Roller Set, 1kg Spool Gasless Wire. Regulator is Optional & Extra



Including GST

\$338.26 excluding GST XA-MIG120V-K

PERFECT FOR THAT WELDING JOB AT THE BATCH OR CRIB!

Compatible with most brands of Binzel style MIG torches. Kit supplied with two sizes of Contact Tips, Tip Holder / Gas Diffuser, Conical Nozzles & Mig Welding Pliers.

XA15 BZL Torch Consumable Parts Kit



\$69.00 Including GST \$60.00 excluding GST XAMSK15

XA24 BZL Torch Consumable Parts Kit



\$79.00 Including GST \$68.70 excluding GST XAMSK24

XA25 BZL Torch Consumable Parts Kit



\$79.00 Including GST \$68.70 excluding GST XAMSK25

XA36 BZL Torch Consumable Parts Kit



\$100.00 Including GST \$86.96 excluding GST XAMSK36

PLASMA TORCH SPARES KITS

ALL THE ESSENTIAL FRONT END CONSUMABLES FOR YOUR RAZORCUT PLASMA



\$169.00

Including GST

\$146.96 excluding GST

XAPSK-SC40

SC40

KIT CONTENTS

- 10 x Cutting Tips 0.9mm
- 10 x Electrodes
- 1 x Swirl Ring
- 1 x Stand Off Guide
- 1 x Retaining Cap

Suits VIPER CUT30

Plasma Cutter



\$419.00 Including GST

\$364.35 excluding GST XAPSK-SC80

SC80

KIT CONTENTS

- 10 x Electrode
- 10 x Cutting Tip 0.9mm
- 1 x Swirl Ring
- 1 x Retaining Cap
- 1 x Stand Off Guide
- **Contact Cutting** • 5 x Tip 1.0mm
- 1 x Shield Cap Body
- 1 x Shield Cap
- 1 x Cutting Buggy

Suits RAZOR CUT45 & CUT40PC Plasma Cutters

T2MBC



\$499.00 Including GST

\$433.91 excluding GST XAPSK-SC80-3

SC80-3 PHASE

KIT CONTENTS

- 10 x Electrode
- 10 x Cutting Tip 1.0mm
- 10 x Cutting Tip 1.3mm
- 2 x Swirl Ring
- 1 x Retaining Cap
- 1 x Stand Off Guide
- Contact Cutting
- 1 x Shield Cap Body 1 x Shield Cap
- 5 x Tip 1.0mm
- 5 x Tip 1.3mm
- Gouging
- 5 x Gouging Tip 1.6mm
- 1 x Gouging Shield Cap
- 1 x Cutting Buggy

Suits RAZOR CUT80 Plasma Cutter



TIG TORCH QUARTZ NOZZLES **UPGRADE YOUR ARC T2 OR T3 TIG TORCH** TRANSPARENT & DURABLE

Improve your TIG welds by simply increasing your visibility of the weld puddle. Simply replace the Heat Zone Isolator fitted to your T2 or T3 Tig Torch and choose the Quartz Nozzle size to suit your work. More durable than Pyrex, these new Quartz Nozzles will allow you to see what you're welding like nothing you've seen.

ARC T-SERIES TIG QUARTZ WEAR PARTS - T3 TIG TORCH Description Code T3QZSN23 T3 Quartz Heat Zone Isolator T3QZ06 T3 Standard Quartz Cup 10mm Bore T3 Standard Quartz Cup 12mm Bore T3QZ08 T3QZ10 T3 Standard Quartz Cup 15mm Bore T3QZ12

T3 Medium Back Cap New

ARC T-SERIES TIG QUARTZ WEAR PARTS - T2 TIG TORCH & T3W/T4W (H.O-COOLED) +GST Code Description Inclusive T20ZSN20 T2 Quartz Heat Zone Isolator \$22.52 \$10.87 T2QZ06 T2 Standard Quartz Cup 10mm Bore \$10.87 T2QZ08 T2 Standard Quartz Cup 12mm Bore T2QZ10 T2 Standard Quartz Cup 15mm Bore \$10.87





T3MBC

PYREX GAS LENS KITS INCREASE YOUR TIG WELDING VISIBILITY

Pyrex gas lens nozzles are ideal for TIG welding applications with limited visibility, such as in and around tubing and pipe as well as inside corners and bends. Pyrex gas lens nozzles also allow reduced shielding gas consumption, with savings of up to 40% compared to using traditional parts. The tungsten adaptor with replaceable mesh screen ensures a consistent gas flow pattern and allows the tungsten electrode to be extended up to six times the electrode diameter.

Code	Description	+GST	Inclusive
PGLK172616S	Pyrex Gas Lens Kit Medium Nozzle 1.6mm 17,18,26 Torch	\$25.00	\$28.75
PGLK172624S	Pyrex Gas Lens Kit Medium Nozzle 2.4mm 17,18,26 Torch	\$25.00	\$28.75
PGLK172616L	Pyrex Gas Lens Kit Long Nozzle 1.6mm 17,18,26 Torch	\$27.74	\$31.90
PGLK172624L	Pyrex Gas Lens Kit Long Nozzle 2.4mm 17,18,26 Torch	\$27.74	\$31.90
PGLFBK172616	Fat Boy Pyrex Gas Lens Kit 1.6mm 17,18,26 Torch	\$56.00	\$64.40
PGLFBK172624	Fat Boy Pyrex Gas Lens Kit 2.4mm 17,18,26 Torch	\$56.00	\$64.40





T2 Medium Back Cap New





\$25.90

\$12.50

\$12.50

\$12.50

\$16.80

Pyrex Gas Lens Kit Medium Nozzle

Pyrex Gas Lens Kit Long Nozzle

Fat Boy Pyrex Gas Lens Kit Great for titanium!

SUITED TO CONVENTIONAL TIG TORCH DESIGNS

CO2 SHIELDED FLUX CORE WIRE AWS D1.8M:2009 SEISMIC APPROVED

Suitable for Structual & General Fabrication, Transport Engineering, Agriculture Equipment, Heavy Machinery & Marine Engineering

- AWS A5.20 E71T-1C Fast Freezing Slag
- Smooth Weld Bead All Position Welding
- Smooth Arc Transfer ABS Approvals



Code	Description	+GST	INCL
XFC721215	XA E71T-1C CO2 Flux Core Wire 1.2mm x 15kg	\$73.91	\$85.00
XFC721615	XA E71T-1C CO2 Flux Core Wire 1.6mm x 15kg	\$73.91	\$85.00

ER100S-G HIGH TENSILE MIG WIRE CHROME NICKEL MOLYBDENUM ALLOYED

Suitable for Structural Steel, Transport Engineering, Heavy Equipment, Earth Moving Repairs & Fabrication, Crane Repairs & Fabrication. Petrochemical Industry


- High Tensile Strength Welds 690MPa (100,000psi)
- Copper Coated & Precision Layer Wound
- Gas: 75-95% Argon / Balance Co2 or 98% Argon 2%02



Code	Description	+GST	INCL
XA-100SG1015	ER100S-G HighTensile Mig Wire 1.0mm x 15kg	\$140.87	\$162.00
XA-100SG1215	ER100S-G HighTensile Mig Wire 1.2mm x 15kg	\$136.52	\$157.00

GASLESS MIG WIRE

XA E71T-GS is for single pass fillet and lap welding on galvanized or carbon steel as thin as 1.2mm without burn-





Code	Description	+GST	INCL
XA-E71TGS0850	XcelArc E71T-GS Gasless Wire 0.8mm x 5.0kg	\$86.09	\$99.00
XA-E71T110950	XcelArc E71T-11 Gasless Wire 0.9mm x 5.0kg	\$82.61	\$95.00
XA-E71T111250	XcelArc E71T-11 Gasless Wire 1.2mm x 5.0kg	\$68.70	\$79.00

5356 ALUMINIUM MIG WIRE

Suitable for all Aluminium Welding & Fabrication, General Engineering, Transport & Marine Engineering.

- Triple Shaved
- Smooth Feeding
- X-Ray Quality
- Low Fume Factor
- Precision Layer Wound International Approvals



Code	Description	+GST	INCL
XA530805	XA5356 x 0.8mm Al Mig Wire x 0.45kg Spool	\$16.48	\$18.95
XA530905	XA5356 x 0.9mm Al Mig Wire x 0.45kg Spool	\$16.48	\$18.95
XA531005	XA5356 x 1.0mm Al Mig Wire x 0.45kg Spool	\$16.48	\$18.95
XA531205	XA5356 x 1.2mm Al Mig Wire x 0.45kg Spool	\$16.48	\$18.95
XA530920	XA5356 x 0.9mm Al Mig Wire x 2.0kg Spool	\$57.00	\$65.55
XA531020	XA5356 x 1.0mm Al Mig Wire x 2.0kg Spool	\$57.00	\$65.55
XA531220	XA5356 x 1.2mm Al Mig Wire x 2.0kg Spool	\$56.09	\$64.50
XA531070	XA5356 x 1.0mm Al Mig Wire x 7.0kg Spool	\$160.87	\$185.00
XA531270	XA5356 x 1.2mm Al Mig Wire x 7.0kg Spool	\$152.17	\$175.00

ESR11- GENERAL PURPOSE (G.P) ELECTRODE

For structural steelwork, workshop & general maintenance welding. All positional welding with good gap-bridging, smooth arc, easy restriking properties. Welds are smooth, slightly concave and blend into the base metal without undercutting. Suitable for welding galvanized steel, primer painted and slightly rusted components.

AWS/ASME SFA 5.1 E6013

Packaged in Convienient 2kg & 5kg Recylable Plastic Cannister



Code		Description	+GST	INCL
ESR1125	5-25P	ESR11 Electrode 2.5mm 2.5kg Plastic Cannister	\$28.65	\$32.95
ESR1125	5-50P	ESR11 Electrode 2.5mm 5.0kg Plastic Cannister	\$56.48	\$64.95
ESR1132	2-25P	ESR11 Electrode 3.2mm 2.5kg Plastic Cannister	\$27.61	\$31.75
ESR1132	2-50P	ESR11 Electrode 2.5mm 5.0kg Plastic Cannister	\$53.00	\$60.95

ESB40 - E7016 BASIC LOW HYDROGEN ELECTRODE

Suitable for repair welding on difficult to weld steels, welding of steels with unknown composition. Produces high tensile strength weld metal with excellent toughness values making this electrode suitable for welding restrained structural members and large weld cross sections. Also preferred for buffer layer applications on steels before hardfacing and for welding of cast irons with high preheat. Welds are of X-ray quality.

AWS/ASME SFA 5.1 E7016

Code	Description	+GST	INCL
ESB4025-50	ESB40 - 7016 Electrode 2.5mm 5.0kg Pkt	\$64.30	\$73.95
ESB4032-50	ESB40 - 7016 Electrode 3.2mm 5.0kg Pkt	\$59.78	\$68.75
ESB4040-65	ESB40 - 7016 Electrode 4.0mm 6.5kg Pkt	\$72.43	\$83.30

ESB44 - E7016 H8 TWIN COATED LOW HYDROGEN ELECTRODE

Smooth running all postion low hydrogen electrode. Suitable for repair welding on difficult to weld steels and steels with unknown composition. Produces high tensile strength weld metal with excellent toughness values, suitable for welding structural steel with exceptional mechanical and X-ray qualities. Ideal for buffer layer on steels before hardfacing.

AWS/ASME SFA - 5.1 E 7016

Code	Description	+GST	INCL
ESB4425-25V	E7016-H8 Electrode 2.5 x 350mm 2.5Kg Vac Pkt	\$46.09	\$53.00
ESB4432-25V	E7016-H8 Electrode 3.2 x 350mm 2.5Kg Vac Pkt	\$46.09	\$53.00
ESB4440-25V	E7016-H8 Electrode 4.0 x 350mm 2.5Kg Vac Pkt	\$46.09	\$53.00

NEW! 1KG MAGMAWELD ELECTRODE PACKS

Reduce both wastage and the cost of smaller jobs with new Magmaweld 1kg plastic packs. Also introducing ESR11 General Purpose in 2.0mm diameter, not previously available in larger pack sizes. There's a broad range of different electrode types and sizes in the 1kg packs so if what you need isn't shown here, please ask.

General Purpo	General Purpose		INCL		
ESR1120-10P	6013GP Electrode 2.0mm 1kg Plastic Pkt	\$19.13	\$22.00		
ESR1125-10P	6013GP Electrode 2.5mm 1kg Plastic Pkt	\$14.13	\$16.25		
Stainless Stee	·				
El316L20-10P	316L Electrode 2.0mm 1kg Plastic Pkt	\$66.96	\$77.00		
El316L25-10P	316L Electrode 2.5mm 1kg Plastic Pkt	\$50.43	\$58.00		
Cast Iron					
ENI41625-10P	416(NiFe) Cast Iron Electrode 2.5mm 1kg	\$119.57	\$137.50		
ENI41632-10P	416(NiFe) Cast Iron Electrode 3.2mm 1kg	\$104.35	\$120.00		
Dissimilar Me	Dissimilar Metal				
El312L25-10P	El312 Dissimilar Metal Electrode 2.5mm 1kg Pkt	\$60.00	\$69.00		
El312L32-10P	El312 Dissimilar Metal Electrode 3.2mm 1kg Pkt	\$53.91	\$62.00		



HEAVY DUTY EXTENSION LEADS IDEAL FOR INVERTER WELDING MACHINES

HEAVY DUTY RUBBER SHEATHED CABLE

- · Prevents Damaging Voltage Drop
- IP66 Water Proof Plug & Socket
- 2.5mm Copper Core Wire
- · AS/NZ Standards Approved



Code	Description	+GST	INCL
XA-REL15A-10M	Xcel-Arc Rubber 10m Extension Lead	\$107.78	\$123.95
XA-REL15A-15M	Xcel-Arc Rubber 15m Extension Lead	\$134.74	\$154.95
XA-REL15A-20M	Xcel-Arc Rubber 20m Extension Lead	\$159.13	\$183.00

BRAIDED DOUBLE SHEATHED CABLE

- Prevents Damaging Voltage Drop
- Crush and Cut Resistant
- IP66 Water Proof Plug & Socket
- 2.5mm Copper Core Wire
- AS/NZ Standards Approved





Code	Description	+GST	INCL
XA-BEL15A-10M	Xcel-Arc Braided 10m Extension Lead	\$115.65	\$133.00
XA-BEL15A-15M	Xcel-Arc Braided 15m Extension Lead	\$154.78	\$178.00



AS3000F MOST POPULAR ENTRY LEVEL HELMET

- MIG/MMA/TIG Compatible
- Viewing Area 96mm x 42mm
- · Battery & Solar Powered
- 2 Independent Sensors
- Sensitivity & Delay Control
- Classification 1/1/1/2
- Variable Shade 9 ~ 13
- Grind Mode
- Fast Switching Speed 0.08 m/s
- · Compliant to AS/NZS 1338.1

AS3000F

\$115.00 Including GST \$100.00 excluding GST

TOXIC PROVEN RELIABIITY **BOLD NEW GRAPHICS**

- MIG/MMA/TIG Compatible
- 2 Arc Sensors
- Grind Mode (External)
- Variable Shade 9~13 (External)
- Sensitivity & Delay Controls
- Battery & Solar Powered
- Switching Speed 0.08 m/s
- Mag Lens Holder
- Classification 1/1/1/2
- Certified AS/NZS 1338.1

TOXIC

Including GST \$112.17 excluding GST

LITEVISION

EXTERNAL SHADE ADJUSTMENT LARGE VIEW AREA 100 X 60MM

- MIG/MMA/TIG Compatible
- Wide 100 x 60mm Viewing Area
- Variable Shade 9~13
- · Sensitivity & Delay Controls
- Comfort Headgear
- Analogue Controls
- Replaceable Batteries
- Four Independent Sensors
- Grind Mode Function
- Classification 1/1/1/2
- Compliant to AS/NZS 1338.1

CHAOS

Including GST \$173.04 excluding GST

AS7000D

DIGITAL CONTROL ULTRA WIDE VIEW 100 X 83MM

- MIG/MMA/TIG Compatible
- Massive 100 x 83mm Viewing Area
- Variable Shade 5~9 / 9~13
- · Sensitivity & Delay Control
- Comfort Headgear
- Job Memory Recall x 3
- Replaceable Batteries
- Four Independent Sensors
- Grind Mode Function
- Classification 1/1/1/1
- · Compliant to AS/NZS 1338.1

AS7000D

Including GST \$242.61 excluding GST

Razor Shield

DIGITAL WELDING MASK

Auto-Darkening Goggles MIG • MMA • TIG • Plasma • Gas Intergal LED Headlamp

- External Digital Control Panel
- Weld, Cut & Grind Modes
- Sensitivy & Delay Control
- 2 x Arc Sensors
- External LED Headlamp
- Low Profile Design
- Respirator Half Mask Compatible

Technical Data

Reaction Time 0.08ms Arc Sensors Classification 1/1/1/2 Dark State Shades 5-9 / 9-13 Time from Dark to Light 0.01 - 0.9sSensitivity Setting Adjustable Delay Control Adiustable Power Supply Battery, Solar Cells Min TIG Amperage 5 Amps

Compliant Standard

Kit Contents: RazorShield Goggles, Face Mask, Hood, LED Lamp, Head Band, Elastic Band, Spare Cover Lens

AS/NZS 1338.1:2012

\$239.00 Including GST \$207.83 excluding GST

XA-SHIFI D

ELIPSE® HALF-MASK P2 RESPIRATOR The Elipse® Half-Mask P2 Respirator combines

a particulate filter with an activated carbon cloth to provide a minimum 99.95% filtration against odours, dust, all types of fumes, oil and water mists and micro-organisms. It is designed to fit under most welding helmets and welding masks.

- Approved to AS/NZS 1716:2012 as a P2 Reusable Respirator, as the P3 filters are fitted on Half Mask.
- Latex and silicone-free, lightweight TPE face piece that is comfortable to wear for long periods of time.
- Low profile filters provide an unobstructed view.
- · Compatible with other PPE safety products including visors and welding helmets.

XA-MASK-SM Elipse P2 Welding Mask - Small/Medium XA-MASK-ML Elipse P2 Welding Mask - Medium/Large



Including GST \$68.65 excluding GST

P3 REPLACEMENT FILTER SET

Replacement filters for the Elipse® Half-Mask P2 Respirator. P3 >99,95% for 0,3 μ particulate. Mechanical type multi-layer HESPA Synthetic media with TPE flexible overmolded / encapsulated. Glued additional carbon activated impregnated media

XA-FILTER-TP Replacement P3 Filter Pack



\$30.00 excluding GST



Filtering Area

Maximum Pressure

Compressed Air Filtration Efficiency

Noise Level

Dimensions

Weight

Warranty

WELDING FUME EXTRACTOR 230V SINGLE PHASE

Portable fume extraction system with moveable and flexible arm. Capable of filtering an area of up to 8 cubic metres. Provides easy & effective protection against harmful emissions of welding fumes and grinding dust. Internal collection tray for removal of particles and fitted with long-life filter element.





8.0 m³

1900Pa

>99.9%

 98 ± 5 Kg

2 years

0.5-0.6MPa

 $< 74 \pm 5 \, dB(A)$

510x610x999mm



Including GST

\$3,999.13 excluding GST

KSJ-0.7S

WELDING RESPIRATOR NOW WITH EXTERNAL AS/NZS P2 PROTECTION

GRIND BUTTON

Powered air purifying respirators (PAPR) protect your respiratory system against harmful particles and/or gases and vapours, provided that enough oxygen is present in the ambient air and the hazardous substance is known. Using a powered respirator you have virtually no breathing resistance. The RazorWeld PAPR is supplied with a high-quality welding helmet that includes full digital controls and a backlit LCD display. The large 100mm x 83mm viewing area is activated by four independent sensors and the shell fitted with an integral hood and fitted airflow harness

- Positive pressure system
- Long lasting P3 filter
- Auto shutdown mode
- 3 airflow levels

\$**1,265**.00

Including GST

\$1,100.00 excluding GST

XA-PAPR-R

- Low airflow / low battery alarm
- Side or rear mount of blower unit
- Digital 4 sensor auto darkening helmet
- AS/NZS 1716:2012 approved
- Warranty 1 year Blower Unit
- Warranty 2 years Welding Helmet

XA-5122(D)











button





PROBAN WELDING JACKET PROBAN TREATED COTTON

Xcel-Arc Black-Series Welding Jackets are comfortable and designed for use in tough conditions. The lightweight Proban® treated cotton body and sleeves provide great manoeuvrability, while the use of Kevlar® thread enhances the jackets durability.

- PROBAN® Treated Flame-Retardant Cotton Body
- Kevlar® Stitching
- Light weight for comfort
- · Great manoeuvrability
- · High Quality, Low Cost
- Kiwi Sizing: M, L, XL, XXL & New XXXL

XA-BPJ-M Medium XA-BPJ-L Large XA-BPJ-XL X-Large XA-BPJ-XXL XX-Large XA-BPJ-XXXL XXX-Large

Including GST \$60.00 excluding GST

Any Size Same Price



BLACK WELDING JACKET PROBAN TREATED COTTON BODY WITH LEATHER SLEEVES

Xcel-Arc Black-Series Welding Jackets are comfortable and designed for extended use under tough conditions. Full leather sleeves provide protection against spatter, while the use of Kevlar® thread enhances the jackets durability.

- PROBAN® Treated Flame-Retardant Cotton Body
- Premium Cowhide Leather Sleeves
- Kevlar® Stitching
- · Great manoeuvrability
- Kiwi Sizing: M, L, XL, XXL & New XXXL

XA-BLPJ-M Medium XA-BLPJ-L Large XA-BLPJ-XL X-Large XX-Large XA-BLPJ-XXL XA-BLPJ-XXXL XXX-Large

Including GST \$86.09 excluding GST

Any Size Same Price



ALUMINISED HEAT REFLECTIVE FOR PROLONGED WELDING

Aluminised PFR Rayon heat reflective backhand provides prolonged radiant heat protection during welding. The aluminised Herringbone pattern reflects 95% of radiant heat. The unique 3 dimensional finger construction offers unrestricted mobility & sensitivity of fingers.

XA-10-2755-L Large XA-10-2755-XL X-Large

\$27.95 **Including GST** \$24.30 excluding GST



TIG WELDING GLOVES **GDS SOFT TOUCH TIG GLOVES**

This unique design provides a protective layer that moulds to your hand, feels like your own skin. Especially developed for the professional Tig operator, these gloves are constructed out of 3 types of leather, a "split deerskin" palm for excellent finger tip sensitivity.

XA-10-1027-L Large XA-10-1027-XL X-Large

\$**39**.95 Including GST \$34.74 excluding GST







Special pricing vaild until 31st August, 2022







26 Harrow Street Dunedin

Tel. 03-474 0612 Email: sales@betech.co.nz

The stores promoting the offers featured in this publication are independent businesses. Therefore, not all products in this catalogue are kept in stock at all times at all stores. Although best efforts have been made to ensure all details in this catalogue are correct at the time of printing, Esseti New Zealand Limited (the importer) reserves the right to correct pricing and printing errors and product specifications should the need arise. Offers valid until 31st August, 2022 or while stocks last.